Index of Papers Published in 1988

Author Index

A

Abbaszadeh, M. and Kamal, M.M.: *Automatic Type-Curve Matching for Well Test Analysis*, (Tech. Paper SPE 16443) SPEFE Sept., 88 567-577

Abbaszadeh, M. and Hegeman, P.S.: *An Analytical Simulator for Drillstem Test Interpretation*, (Tech. Paper SPE 16380) SPEFE Dec., 88 725-732

Adolph, R.A. *et al.*: *Dual-Burst Thermal Decay Time Logging Principles*, (Tech. Paper SPE 15437) SPEFE June, 88 377-385

Ahmed, U. *et al.*: *Authors' Reply to Discussion of Short-Term Transient-Rate and Pressure-Buildup Analysis of Low-Permeability Reservoirs*, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept., 88 672

Anderson, B. *et al.*: *Effect of Dipping Beds on the Response of Induction Tools*, (Tech. Paper SPE 15488) SPEFE Mar., 88 29-36

Anderson, W.G. and Gant, P.L.: *Core Cleaning for Restoration of Native Wettability*, (Tech. Paper SPE 14875) SPEFE Mar., 88 131-138

Ayan, C. and Lee, W.J.: *The Effects of Multiphase Flow on the Interpretation of Pressure-Buildup Tests*, (Tech. Paper SPE 15537) SPEFE June, 88 459-466

Ayestaran, L. *et al.*: *Estimation of the Permeabilities and Skin Factors in Layered Reservoirs With Downhole Rate and Pressure Data*, (Tech. Paper SPE 14131) SPEFE Sept., 88 555-566

Ayestaran, L. *et al.*: *Authors' Reply to Discussion of Short-Term Transient-Rate and Pressure-Buildup Analysis of Low-Permeability Reservoirs*, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept., 88 672

Ayoub, J.A. *et al.*: *Impulse Testing*, (Tech. Paper SPE 15911) SPEFE Sept., 88 534-546

B

Baldwin, B.A.: *Water Imbibition and Characterization of North Sea Chalk Reservoir Surfaces*, (Tech. Paper SPE 14108) SPEFE Mar., 88 125-130

Barua, J. *et al.*: *Improved Estimation Algorithms for Automated Type-Curve Analysis of Well Tests*, (Tech. Paper SPE 14255) SPEFE Mar., 88 186-196

Bassiouni, Z. and Silva, P.L.: *Hydrocarbon Saturation Equation in Shaly Sands According to the S-B Conductivity Model*, (Tech. Paper SPE 16039) SPEFE Sept., 88 503-509

Berilgen, B.A. *et al.*: *Estimation of Productivity of Lobo 6 Sand, Lower Wilcox, Texas, by Identifying Diagenetic Clays With Well Log Data*, (Tech. Paper SPE 14278) SPEFE June, 88 393-406

Bhattacharya, G.P. *et al.*: *Geophysical Workstations in Production Geology*, (Tech. Paper SPE 14117) SPEFE June, 88 293-296

Blount, C.G. *et al.*: *Coiled-Tubing Logging System*, (Tech. Paper SPE 15489) SPEFE Mar., 88 37-39

Bourdarot, G. *et al.*: *Pressure Analysis for Horizontal Wells*, (Tech. Paper SPE 14251) SPEFE Dec., 88 716-724

Bourdet, D.P. *et al.*: *Impulse Testing*, (Tech. Paper SPE 15911) SPEFE Sept., 88 534-546

Britto, P.R. and Grader, A.S.: *The Effects of Size, Shape, and Orientation of an Impermeable Region on Transient Pressure Testing*, (Tech. Paper SPE 16376) SPEFE Sept., 88 595-606

Brown, L.F. *et al.*: *Reservoir Sizing Using Inert and Chemically Reacting Tracers*, (Tech. Paper SPE 13147) SPEFE Mar., 88 227-234

Bumb, A.C. and McKee, C.R.: *Gas-Well Testing in the Presence of Desorption for Coalbed Methane and Devonian Shale*, (Tech. Paper SPE 15227) SPEFE Mar., 88 179-185

Bumb, A.C. *et al.*: *Stress-Dependent Permeability and Porosity of Coal and Other Geologic Formations*, (Tech. Paper SPE 12858) SPEFE Mar., 88 81-91

Byrer, C.W. and Layne, A.W.: *Analysis of Coalbed Methane Stimulations in the Warrior Basin, Alabama*, (Tech. Paper SPE 15218) SPEFE Sept., 88 663-669

C

Chancellor, R.E. and Johnson, R.C.: *Geologic and Engineering Implications of Production History From Five Mesaverde Wells in Central Piceance Creek Basin, Northwest Colorado*, (Tech. Paper SPE 15237) SPEFE June, 88 307-314

Chandler, M.A. *et al.*: *Patterns of Permeability in Eolian Deposits: Page Sandstone (Jurassic), Northeastern Arizona*, (Tech. Paper SPE 14893) SPEFE June, 88 297-306

Chang, M.M. *et al.*: *Evaluation and Comparison of Residual Oil Saturation Determination Techniques*, (Tech. Paper SPE 14887) SPEFE Mar., 88 251-262

Chauvel, Y.L. *et al.*: *Impulse Testing*, (Tech. Paper SPE 15911) SPEFE Sept., 88 534-546

Chew, W.C. *et al.*: *Microinduction Sensor for the Oil-Based Mud Dipmeter*, (Tech. Paper SPE 16761) SPEFE Dec., 88 733-742

Chilingar, G.V. and Fertl, W.H.: *Total Organic Carbon Content Determined From Well Logs*, (Tech. Paper SPE 15612) SPEFE June, 88 407-419

Chow, E.Y. *et al.*: *Microinduction Sensor for the Oil-Based Mud Dipmeter*, (Tech. Paper SPE 16761) SPEFE Dec., 88 733-742

Chowdiah, P.: *Influence of Water-Desaturation Technique and Stress on Laboratory Measurement of Hydraulic Properties of Tight Sandstones*, (Tech. Paper SPE 15210) SPEFE Dec., 88 679-685

Clark, B. *et al.*: *Microinduction Sensor for the Oil-Based Mud Dipmeter*, (Tech. Paper SPE 16761) SPEFE Dec., 88 733-742

Clark, J.A. *et al.*: *Pressure-Core Measurements in Tight Sandstone Lenses During the Multiwell Experiment*, (Tech. Paper SPE 12853) SPEFE Sept., 88 645-650

Cobb, S.L. and Hunt, P.K.: *Core Preservation With a Laminated, Heat-Sealed Package*, (Tech. Paper SPE 15382) SPEFE Dec., 88 691-695

Cox, P.T. *et al.*: *Complex Dielectric Interpretation of 20-MHz Electromagnetic Logs*, (Tech. Paper SPE 15486) SPEFE Mar., 88 24-28

Curutchet, P. *et al.*: *Pressure Analysis for Horizontal Wells*, (Tech. Paper SPE 14251) SPEFE Dec., 88 716-724

D

Daviau, F. *et al.*: *Pressure Analysis for Horizontal Wells*, (Tech. Paper SPE 14251) SPEFE Dec., 88 716-724

Day, P.I. *et al.*: *A Three-Part Study of NMR Longitudinal Relaxation Properties of Water-Saturated Sandstones*, (Tech. Paper SPE 15643) SPEFE Sept., 88 622-636

de Waal, J.A. *et al.*: *Prediction of Abrupt Reservoir Compaction and Surface Subsidence Caused By Pore Collapse in Carbonates*, (Tech. Paper SPE 15642) SPEFE June, 88 340-346

de Waal, J.A. and Smits, R.M.M.: *Prediction of Reservoir Compaction and Surface Subsidence: Field Application of a New Model*, (Tech. Paper SPE 14214) SPEFE June, 88 347-356

de Waal, J.A. and Smits, R.M.M.: *A Comparison Between the Pressure-Lag Model and the Rate-Type Model for the Prediction of Reservoir Compaction and Surface Subsidence*, (Tech. Paper SPE 16389) SPEFE June, 88 357-363

Deans, H.A. and Gao, C.T.: *Pressure Transients and Crossflow Caused by Diffusivities in Multilayer Reservoirs*, (Tech. Paper SPE 11966) SPEFE June, 88 438-448

Dempsey, J. and Richardson, J.L.: *Process Simulators for Oil- and Gas-Plant Operators*, (Tech. Paper SPE 13739) SPEFE Mar., 88 276-280

Dinges, D.D. and Ogbe, D.O.: *A Method for Analyzing Pulse Tests Considering Wellbore Storage and Skin Effects*, (Tech. Paper SPE 15582) SPEFE Dec., 88 743-750

Durgapal, P.: *An Analytic Model for Electromagnetic Wireline Tools*, (Tech. Paper SPE 14190) SPEFE Mar., 88 17-23

Dutton, S.P. and Finley, R.J.: *Controls on Reservoir Quality in Tight Sandstones of the Travis Peak Formation, East Texas*, (Tech. Paper SPE 15220) SPEFE Mar., 88 97-104

Dutton, S.P. *et al.*: *Depositional Systems and Diagenesis of Travis Peak Tight Gas Sandstone Reservoirs, Sabine Uplift Area, Texas*, (Tech. Paper SPE 14666) SPEFE Mar., 88 105-115

E

Ehlig-Economides, C. *et al.*: *Natural Gas Hydrates in the Alaskan Arctic*, (Tech. Paper SPE 13593) SPEFE Mar., 88 263-266

El-Khatib, N.: *Discussion of The Relationship Between Radius of Drainage and Cumulative Production*, (Tech. Paper, Discussion SPE 18601) SPEFE Dec., 88 771-772

Elder, S.S.: *Evaluation of Gas-Extraction Efficiency During Mud-Logging Operations*, (Tech. Paper SPE 16158) SPEFE Dec., 88 686-690

Ely, J.W. *et al.*: *The GRI Staged Field Experiment*, (Tech. Paper SPE 16429) SPEFE Sept., 88 519-533

F

Fassihi, M.R.: *Evaluation of an Analytic Technique for Estimating Swept Volume From Thermal Pressure Falloff Tests in Heterogeneous Systems*, (Tech. Paper SPE 12657) SPEFE June, 88 449-458

Ferrell, H.H. *et al.*: *Analysis of the Low-Tension Pilot at Big Muddy Field, Wyoming*, (Tech. Paper SPE 12683) SPEFE June, 88 315-321

Fertl, W.H. *et al.*: *Estimation of Productivity of Lobo 6 Sand, Lower Wilcox, Texas, by Identifying Diagenetic Clays With Well Log Data*, (Tech. Paper SPE 14278) SPEFE June, 88 393-406

Fertl, W.H. and Chilingar, G.V.: *Total Organic Carbon Content Determined From Well Logs*, (Tech. Paper SPE 15612) SPEFE June, 88 407-419

Finjord, J.: *Discussion of The Relationship Between Radius of Drainage and Cumulative Production*, (Tech. Paper, Discussion SPE 18561) SPEFE Sept., 88 670

Finley, R.J. and Dutton, S.P.: *Controls on Reservoir Quality in Tight Sandstones of the Travis Peak Formation, East Texas*, (Tech. Paper SPE 15220) SPEFE Mar., 88 97-104

Finley, R.J. *et al.*: *Depositional Systems and Diagenesis of Travis Peak Tight Gas Sandstone Reservoirs, Sabine Uplift Area, Texas*, (Tech. Paper SPE 14666) SPEFE Mar., 88 105-115

Flaum, C. *et al.*: *Improved Environmental Corrections for Compensated Neutron Logs*, (Tech. Paper SPE 15540) SPEFE June, 88 371-376

Fracasso, M.A. *et al.*: *Depositional Systems and Diagenesis of Travis Peak Tight Gas Sandstone Reservoirs, Sabine Uplift Area, Texas*, (Tech. Paper SPE 14666) SPEFE Mar., 88 105-115

G

Galford, J.E. *et al.*: *Improved Environmental Corrections for Compensated Neutron Logs*, (Tech. Paper SPE 15540) SPEFE June, 88 371-376

Gant, P.L. and Anderson, W.G.: *Core Cleaning for Restoration of Native Wettability*, (Tech. Paper SPE 14875) SPEFE Mar., 88 131-138

Gao, C.T. and Deans, H.A.: *Pressure Transients and Crossflow Caused by Diffusivities in Multilayer Reservoirs*, (Tech. Paper SPE 11966) SPEFE June, 88 438-448

Gardner, J.S. *et al.*: *Improved Environmental Corrections for Compensated Neutron Logs*, (Tech. Paper SPE 15540) SPEFE June, 88 371-376

Gatens III, J.M. *et al.*: *Model Selection for Well Test and Production Data Analysis*, (Tech. Paper SPE 15926) SPEFE Mar., 88 215-221

Gianzero, S.C. *et al.*: *A New High-Speed Hybrid Technique for Simulation and Inversion of Resistivity Logs*, (Tech. Paper SPE 14189) SPEFE Mar., 88 55-61

Gilchrist Jr., W.A. *et al.*: *Improved Environmental Corrections for Compensated Neutron Logs*, (Tech. Paper SPE 15540) SPEFE June, 88 371-376

Godbole, S.P. *et al.*: *Natural Gas Hydrates in the Alaskan Arctic*, (Tech. Paper SPE 13593) SPEFE Mar., 88 263-266

Goggin, D.J. *et al.*: *Patterns of Permeability in Eolian Deposits: Page Sandstone (Jurassic), Northeastern Arizona*, (Tech. Paper SPE 14893) SPEFE June, 88 297-306

Grader, A.S. *et al.*: *Multiple-Well Interference Testing in the Ohaaki Geothermal Field*, (Tech. Paper SPE 15122) SPEFE June, 88 429-437

Grader, A.S. and Britto, P.R.: *The Effects of Size, Shape, and Orientation of an Impermeable Region on Transient Pressure Testing*, (Tech. Paper SPE 16376) SPEFE Sept., 88 595-606

Grader, A.S. and Ramey Jr., H.J.: *Slug-Test Analysis in Double-Porosity Reservoirs*, (Tech. Paper SPE 15479) SPEFE June, 88 329-339

Grader, A.S. and Horne, R.N.: *Interference Testing: Detecting a Circular Impermeable or Compressible Subregion*, (Tech. Paper SPE 15585) SPEFE June, 88 420-428

Grau, J.A. and Roscoe, B.A.: *Response of the Carbon/Oxygen Measurement for an Inelastic Gamma Ray Spectroscopy Tool*, (Tech. Paper SPE 14460) SPEFE Mar., 88 76-80

Grau, J.A. *et al.*: *A Borehole Correction Model for Capture Gamma Ray Spectroscopy Logging Tools*, (Tech. Paper SPE 14462) SPEFE Mar., 88 62-68

Greenstadt, J.L. *et al.*: *Improved Estimation Algorithms for Automated Type-Curve Analysis of Well Tests*, (Tech. Paper SPE 14255) SPEFE Mar., 88 186-196

Griffin, D.D. *et al.*: *Microinduction Sensor for the Oil-Based Mud Dipmeter*, (Tech. Paper SPE 16761) SPEFE Dec., 88 733-742

Guppy, K.H. *et al.*: *Pressure-Transient Analysis for Fractured Wells Producing at Constant Pressure*, (Tech. Paper SPE 13629) SPEFE Mar., 88 169-178

H

Habashy, T.M. *et al.*: *Effect of Dipping Beds on the Response of Induction Tools*, (Tech. Paper SPE 15488) SPEFE Mar., 88 29-36

Hao, Z. and Shen, L.: *Mechanism of Transient Time Increase and Its Interpretation After Water Injection Into Reservoir M in the Lao Jun Miao Oil Field*, (Tech. Paper SPE 14846) SPEFE June, 88 471-479

Hasan, A.R. *et al.*: *Transient Analysis of Acoustically Derived Pressure and Rate Data*, (Tech. Paper SPE 15481) SPEFE Sept., 88 607-616

Haskett, S.E. *et al.*: *A Method for Simultaneous Determination of Permeability and Porosity in Low-Permeability Cores*, (Tech. Paper SPE 15379) SPEFE Sept., 88 651-658

Hazeu, G.J.A. *et al.*: *The Application of New Approaches for Shale Management in a Three-Dimensional Simulation Study of the Frigg Field*, (Tech. Paper SPE 15608) SPEFE Sept., 88 493-502

Heaviside, J. and Nicholls, C.I.: *Gamma-Ray-Absorption Techniques Improve Analysis of Core Displacement Tests*, (Tech. Paper SPE 14421) SPEFE Mar., 88 69-75

Heckes, A.A. *et al.*: *Pressure-Core Measurements in Tight Sandstone Lenses During the Multiwell Experiment*, (Tech. Paper SPE 12853) SPEFE Sept., 88 645-650

Hegeman, P.S. and Kamal, M.M.: *New Developments in Multiple-Well Testing*, (Tech. Paper SPE 14100) SPEFE Mar., 88 159-168

Hegeman, P.S. and Abbaszadeh, M.: *An Analytical Simulator for Drillstem Test Interpretation*, (Tech. Paper SPE 16380) SPEFE Dec., 88 725-732

Holditch, S.A. *et al.*: *A Method for Simultaneous Determination of Permeability and Porosity in Low-Permeability Cores*, (Tech. Paper SPE 15379) SPEFE Sept., 88 651-658

Holditch, S.A. and Semmelbeck, M.E.: *The Effects of Mud-Filtrate Invasion on the Interpretation of Induction Logs*, (Tech. Paper SPE 14491) SPEFE June, 88 386-392

Holditch, S.A. *et al.*: *The GRI Staged Field Experiment*, (Tech. Paper SPE 16429) SPEFE Sept., 88 519-533

Holgate, K.E. *et al.*: *Analysis of Prestimulation Test Data in Devonian Shale Reservoirs*, (Tech. Paper SPE 15925) SPEFE June, 88 364-370

Honarpour, M.M. *et al.*: *Evaluation and Comparison of Residual Oil Saturation Determination Techniques*, (Tech. Paper SPE 14887) SPEFE Mar., 88 251-262

Horne, R.N. and Kuchuk, F.: *Use of Simultaneous Flow-Rate and Pressure Measurements To Replace Isochronal Gas Well Tests*, (Tech. Paper SPE 14494) SPEFE June, 88 467-470

Horne, R.N. *et al.*: *Improved Estimation Algorithms for Automated Type-Curve Analysis of Well Tests*, (Tech. Paper SPE 14255) SPEFE Mar., 88 186-196

Horne, R.N. *et al.*: *Pressure-Transient Response of an Infinite-Conductivity Vertical Fracture in a Reservoir With Double-Porosity Behavior*, (Tech. Paper SPE 12778) SPEFE Sept., 88 510-518

Horne, R.N. and Grader, A.S.: *Interference Testing: Detecting a Circular Impermeable or Compressible Subregion*, (Tech. Paper SPE 15585) SPEFE June, 88 420-428

Houze, O.P. *et al.*: *Pressure-Transient Response of an Infinite-Conductivity Vertical Fracture in a Reservoir With Double-Porosity Behavior*, (Tech. Paper SPE 12778) SPEFE Sept., 88 510-518

Howard, W.E. and Luffel, D.L.: *Reliability of Laboratory Measurement of Porosity in Tight Gas Sands*, (Tech. Paper SPE 16401) SPEFE Dec., 88 705-710

Howell, E.P. *et al.*: *Coiled-Tubing Logging System*, (Tech. Paper SPE 15489) SPEFE Mar., 88 37-39

Huddleston, K.L. *et al.*: *Acoustic Determination of Producing Bottomhole Pressure*, (Tech. Paper SPE 14254) SPEFE Sept., 88 617-621

Hull, R.L. and Johnson, D.E.: *Muldoon Field: An Evaluation of Behind-Casing Pay Zones in a Freshwater Environment*, (Tech. Paper SPE 14464) SPEFE Mar., 88 92-96

Hunt, P.K. and Cobb, S.L.: *Core Preservation With a Laminated, Heat-Sealed Package*, (Tech. Paper SPE 15382) SPEFE Dec., 88 691-695

J

Jarzabek, D.C. *et al.*: *Geophysical Workstations in Production Geology*, (Tech. Paper SPE 14117) SPEFE June, 88 293-296

Jennings Jr., J.W. *et al.*: *Simultaneous Determination of Capillary Pressure and Relative Permeability by Automatic History Matching*, (Tech. Paper SPE 14418) SPEFE June, 88 322-328

Johnson, D.E. and Hull, R.L.: *Muldoon Field: An Evaluation of Behind-Casing Pay Zones in a Freshwater Environment*, (Tech. Paper SPE 14464) SPEFE Mar., 88 92-96

Johnson, P.W.: *The Relationship Between Radius of Drainage and Cumulative Production*, (Tech. Paper SPE 16035) SPEFE Mar., 88 267-270

Johnson, R.C. and Chancellor, R.E.: *Geologic and Engineering Implications of Production History From Five Mesaverde Wells in Central Piceance Creek Basin, Northwest Colorado*, (Tech. Paper SPE 15237) SPEFE June, 88 307-314

Jones, J.R. and Raghavan, R.: *Interpretation of Flowing Well Response in Gas-Condensate Wells*, (Tech. Paper SPE 14204) SPEFE Sept., 88 578-594

Jones, S.C.: *Two-Point Determinations of Permeability and PV vs. Net Confining Stress*, (Tech. Paper SPE 15380) SPEFE Mar., 88 235-241

K

Kabir, C.S. *et al.*: *Transient Analysis of Acoustically Derived Pressure and Rate Data*, (Tech. Paper SPE 15481) SPEFE Sept., 88 607-616

Kagawan, V. *et al.*: *Pressure-Transient Analysis for Fractured Wells Producing at Constant Pressure*, (Tech. Paper SPE 13629) SPEFE Mar., 88 169-178

Kamal, M.M. and Abbaszadeh, M.: *Automatic Type-Curve Matching for Well Test Analysis*, (Tech. Paper SPE 16443) SPEFE Sept., 88 567-577

Kamal, M.M. and Hegeman, P.S.: *New Developments in Multiple-Well Testing*, (Tech. Paper SPE 14100) SPEFE Mar., 88 159-168

Kamath, V.A. *et al.*: *Natural Gas Hydrates in the Alaskan Arctic*, (Tech. Paper SPE 13593) SPEFE Mar., 88 263-266

Karakas, M. *et al.*: *Interpreting an RFT-Measured Pulse Test With a Three-Dimensional Simulator*, (Tech. Paper SPE 14878) SPEFE Mar., 88 139-146

Karakas, M. *et al.*: *Estimation of the Permeabilities and Skin Factors in Layered Reservoirs With Downhole Rate and Pressure Data*, (Tech. Paper SPE 14131) SPEFE Sept., 88 555-566

Karasaki, K. *et al.*: *A New Analytic Model for Fracture-Dominated Reservoirs*, (Tech. Paper SPE 14171) SPEFE Mar., 88 242-250

Kececioglu, I. and Wijesinghe, A.M.: *Vertical-Interference Pressure Testing Across a Low-Permeability Zone With Unsteady Crossflow*, (Tech. Paper SPE 15583) SPEFE Dec., 88 751-760

Kenyon, W.E. *et al.*: *A Three-Part Study of NMR Longitudinal Relaxation Properties of Water-Saturated Sandstones*, (Tech. Paper SPE 15643) SPEFE Sept., 88 622-636

Kerzner, M.G.: *Obtaining Structural and Stratigraphic Dip Information Using Segmentation Trees and Optimization*, (Tech. Paper SPE 15539) SPEFE Mar., 88 47-54

King, D.W. *et al.*: *Analysis of the Low-Tension Pilot at Big Muddy Field, Wyoming*, (Tech. Paper SPE 12683) SPEFE June, 88 315-321

Kleinberg, R.L. *et al.*: *Microinduction Sensor for the Oil-Based Mud Dipmeter*, (Tech. Paper SPE 16761) SPEFE Dec., 88 733-742

Kocurek, G. *et al.*: *Patterns of Permeability in Eolian Deposits: Page Sandstone (Jurassic), Northeastern Arizona*, (Tech. Paper SPE 14893) SPEFE June, 88 297-306

Koenig, R.A. *et al.*: *Stress-Dependent Permeability and Porosity of Coal and Other Geologic Formations*, (Tech. Paper SPE 12858) SPEFE Mar., 88 81-91

Koizumi, C.J.: *Computer Determination of Calibration and Enviromental Corrections for a Natural Spectral Gamma Ray Logging System*, (Tech. Paper SPE 14186) SPEFE Sept., 88 637-644

Krakstad, O.S. *et al.*: *The Application of New Approaches for Shale Management in a Three-Dimensional Simulation Study of the Frigg Field*, (Tech. Paper SPE 15608) SPEFE Sept., 88 493-502

Kritikos, W.P. and Kutasov, I.M.: *Two-Point Method for Determination of Undisturbed Reservoir Temperature*, (Tech. Paper SPE 15204) SPEFE Mar., 88 222-226

Kuchuk, F. and Horne, R.N.: *Use of Simultaneous Flow-Rate and Pressure Measurements To Replace Isochronal Gas Well Tests*, (Tech. Paper SPE 14494) SPEFE June, 88 467-470

Kuchuk, F. *et al.*: *Transient Analysis of Acoustically Derived Pressure and Rate Data*, (Tech. Paper SPE 15481) SPEFE Sept., 88 607-616

Kuchuk, F. *et al.*: *Estimation of the Permeabilities and Skin Factors in Layered Reservoirs With Downhole Rate and Pressure Data*, (Tech. Paper SPE 14131) SPEFE Sept., 88 555-566

Kuchuk, F. *et al.*: *Authors' Reply to Discussion of Short-Term Transient-Rate and Pressure-Buildup Analysis of Low-Permeability Reservoirs*, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept., 88 672

Kumar, S. *et al.*: *Pressure-Transient Analysis for Fractured Wells Producing at Constant Pressure*, (Tech. Paper SPE 13629) SPEFE Mar., 88 169-178

Kutasov, I.M. and Kritikos, W.P.: *Two-Point Method for Determination of Undisturbed Reservoir Temperature*, (Tech. Paper SPE 15204) SPEFE Mar., 88 222-226

L

Lake, L.W. *et al.*: *Patterns of Permeability in Eolian Deposits: Page Sandstone (Jurassic), Northeastern Arizona*, (Tech. Paper SPE 14893) SPEFE June, 88 297-306

Lancaster, D.E. *et al.*: *Analysis of Prestimulation Test Data in Devonian Shale Reservoirs*, (Tech. Paper SPE 15925) SPEFE June, 88 364-370

Lane, H.S. *et al.*: *Model Selection for Well Test and Production Data Analysis*, (Tech. Paper SPE 15926) SPEFE Mar., 88 215-221

Lasseter, T. *et al.*: *Interpreting an RFT-Measured Pulse Test With a Three-Dimensional Simulator*, (Tech. Paper SPE 14878) SPEFE Mar., 88 139-146

Layne, A.W. and Byrer, C.W.: *Analysis of Coalbed Methane Stimulations in the Warrior Basin, Alabama*, (Tech. Paper SPE 15218) SPEFE Sept., 88 663-669

Leaver, J.D. *et al.*: *Multiple-Well Interference Testing in the Ohaaki Geothermal Field*, (Tech. Paper SPE 15122) SPEFE June, 88 429-437

Lee, R.L. *et al.*: *The Effects of Wellbore Storage, Skin, and Turbulence Intensity on Early-Time Transient Flow of Real Gas Through Porous Media*, (Tech. Paper SPE 15525) SPEFE Sept., 88 547-554

Lee, W.J. *et al.*: *Analysis of Prestimulation Test Data in Devonian Shale Reservoirs*, (Tech. Paper SPE 15925) SPEFE June, 88 364-370

Lee, W.J. and Ayan, C.: *The Effects of Multiphase Flow on the Interpretation of Pressure-Buildup Tests*, (Tech. Paper SPE 15537) SPEFE June, 88 459-466

Lenormand, R. and Zarcone, C.: *Physics of Blob Displacement in a Two-Dimensional Porous Medium*, (Tech. Paper SPE 14882) SPEFE Mar., 88 271-275

Lin, Y-Y. *et al.*: *A New High-Speed Hybrid Technique for Simulation and Inversion of Resistivity Logs*, (Tech. Paper SPE 14189) SPEFE Mar., 88 55-61

Long, J.C.S. *et al.*: *A New Analytic Model for Fracture-Dominated Reservoirs*, (Tech. Paper SPE 14171) SPEFE Mar., 88 242-250

Lopez, L. *et al.*: *Improved Estimation Algorithms for Automated Type-Curve Analysis of Well Tests*, (Tech. Paper SPE 14255) SPEFE Mar., 88 186-196

Luffel, D.L. and Howard, W.E.: *Reliability of Laboratory Measurement of Porosity in Tight Gas Sands*, (Tech. Paper SPE 16401) SPEFE Dec., 88 705-710

M

Maerefat, N.L. *et al.*: *Evaluation and Comparison of Residual Oil Saturation Determination Techniques*, (Tech. Paper SPE 14887) SPEFE Mar., 88 251-262

Mahdavi, M. *et al.*: *Dual-Burst Thermal Decay Time Logging Principles*, (Tech. Paper SPE 15437) SPEFE June, 88 377-385

McCain Jr., W.D. *et al.*: *The Coefficient of Isothermal Compressibility of Black Oils at Pressures Below the Bubblepoint*, (Tech. Paper SPE 15664) SPEFE Sept., 88 659-662

McCoy, J.N. *et al.*: *Acoustic Determination of Producing Bottomhole Pressure*, (Tech. Paper SPE 14254) SPEFE Sept., 88 617-621

McGregor, D.S. *et al.*: *Simultaneous Determination of Capillary Pressure and Relative Permeability by Automatic History Matching*, (Tech. Paper SPE 14418) SPEFE June, 88 322-328

McKee, C.R. and Bumb, A.C.: *Gas-Well Testing in the Presence of Desorption for Coalbed Methane and Devonian Shale*, (Tech. Paper SPE 15227) SPEFE Mar., 88 179-185

McKee, C.R. *et al.*: *Stress-Dependent Permeability and Porosity of Coal and Other Geologic Formations*, (Tech. Paper SPE 12858) SPEFE Mar., 88 81-91

Mead, H.N.: *Discussion of Short-Term Transient-Rate and Pressure-Buildup Analysis of Low-Permeability Reservoirs*, (Tech. Paper, Discussion SPE 17922) SPEFE Sept., 88 671-672

Morris, H.E. and Thorne, B.J.: *Advances in Borehole Seismic Fracture Diagnostics*, (Tech. Paper SPE 16405) SPEFE Dec., 88 711-715

Morse, R.A. *et al.*: *Simultaneous Determination of Capillary Pressure and Relative Permeability by Automatic History Matching*, (Tech. Paper SPE 14418) SPEFE June, 88 322-328

Mouronval, G. *et al.*: *Pressure Analysis for Horizontal Wells*, (Tech. Paper SPE 14251) SPEFE Dec., 88 716-724

N

Narahara, G.M. *et al.*: *A Method for Simultaneous Determination of Permeability and Porosity in Low-Permeability Cores*, (Tech. Paper SPE 15379) SPEFE Sept., 88 651-658

Nelson Jr., H.R. *et al.*: *Geophysical Workstations in Production Geology*, (Tech. Paper SPE 14117) SPEFE June, 88 293-296

Neuman, C.H.: *Test of a High-Resolution Spectroscopy Logging Tool to Measure Chlorine in a Low-Salinity Reservoir*, (Tech. Paper SPE 15438) SPEFE Mar., 88 40-46

Nicholls, C.I. and Heaviside, J.: *Gamma-Ray-Absorption Techniques Improve Analysis of Core Displacement Tests*, (Tech. Paper SPE 14421) SPEFE Mar., 88 69-75

O

Ogbe, D.O. and Dinges, D.D.: *A Method for Analyzing Pulse Tests Considering Wellbore Storage and Skin Effects*, (Tech. Paper SPE 15582) SPEFE Dec., 88 743-750

Omoregie, Z.S.: *Factors Affecting the Equivalency of Different Capillary Pressure Measurement Techniques*, (Tech. Paper SPE 15384) SPEFE Mar., 88 147-155

Onur, M. and Reynolds Jr., A.C.: *A New Approach for Constructing Derivative Type Curves for Well Test Analysis*, (Tech. Paper SPE 16473) SPEFE Mar., 88 197-206

Oren, P.E. *et al.*: *The Effects of Wellbore Storage, Skin, and Turbulence Intensity on Early-Time Transient Flow of Real Gas Through Porous Media*, (Tech. Paper SPE 15525) SPEFE Sept., 88 547-554

P

Podio, A.L. *et al.*: *Acoustic Determination of Producing Bottomhole Pressure*, (Tech. Paper SPE 14254) SPEFE Sept., 88 617-621

Preeg, W.E. *et al.*: *Dual-Burst Thermal Decay Time Logging Principles*, (Tech. Paper SPE 15437) SPEFE June, 88 377-385

Puthigai, S.K. and Tiab, D.: *Pressure-Derivative Type Curves for Vertically Fractured Wells*, (Tech. Paper SPE 11028) SPEFE Mar., 88 156-158

R

Raghavan, R. and Jones, J.R.: *Interpretation of Flowing Well Response in Gas-Condensate Wells*, (Tech. Paper SPE 14204) SPEFE Sept., 88 578-594

Raghavan, R. and Vongvuthipornchai, S.: *A Note on the Duration of the Transitional Period of Responses Influenced by Wellbore Storage and Skin*, (Tech. Paper SPE 15273) SPEFE Mar., 88 207-214

Ramey Jr., H.J. *et al.*: *Multiple-Well Interference Testing in the Ohaaki Geothermal Field*, (Tech. Paper SPE 15122) SPEFE June, 88 429-437

Ramey Jr., H.J. *et al.*: *Pressure-Transient Response of an Infinite-Conductivity Vertical Fracture in a Reservoir With Double-Porosity Behavior*, (Tech. Paper SPE 12778) SPEFE Sept., 88 510-518

Ramey Jr., H.J. and Grader, A.S.: *Slug-Test Analysis in Double-Porosity Reservoirs*, (Tech. Paper SPE 15479) SPEFE June, 88 329-339

Reynolds Jr., A.C. and Onur, M.: *A New Approach for Constructing Derivative Type Curves for Well Test Analysis*, (Tech. Paper SPE 16473) SPEFE Mar., 88 197-206

Rian, D.T. *et al.*: *The Application of New Approaches for Shale Management in a Three-Dimensional Simulation Study of the Frigg Field*, (Tech. Paper SPE 15608) SPEFE Sept., 88 493-502

Richardson, J.L. and Dempsey, J.: *Process Simulators for Oil- and Gas-Plant Operators*, (Tech. Paper SPE 13739) SPEFE Mar., 88 276-280

Robinson, B.A. *et al.*: *Reservoir Sizing Using Inert and Chemically Reacting Tracers*, (Tech. Paper SPE 13147) SPEFE Mar., 88 227-234

Robinson, B.M. *et al.*: *The GRI Staged Field Experiment*, (Tech. Paper SPE 16429) SPEFE Sept., 88 519-533

Rollins, J.B. *et al.*: *The Coefficient of Isothermal Compressibility of Black Oils at Pressures Below the Bubblepoint*, (Tech. Paper SPE 15664) SPEFE Sept., 88 659-662

Roscoe, B.A. and Grau, J.A.: *Response of the Carbon/Oxygen Measurement for an Inelastic Gamma Ray Spectroscopy Tool*, (Tech. Paper SPE 14460) SPEFE Mar., 88 76-80

Roscoe, B.A. *et al.*: *A Borehole Correction Model for Capture Gamma Ray Spectroscopy Logging Tools*, (Tech. Paper SPE 14462) SPEFE Mar., 88 62-68

S

Safinya, K.A. *et al.*: *Effect of Dipping Beds on the Response of Induction Tools*, (Tech. Paper SPE 15488) SPEFE Mar., 88 29-36

Sattler, A.R. *et al.*: *Pressure-Core Measurements in Tight Sandstone Lenses During the Multiwell Experiment*, (Tech. Paper SPE 12853) SPEFE Sept., 88 645-650

Schweitzer, J.S. *et al.*: *Interpreting an RFT-Measured Pulse Test With a Three-Dimensional Simulator*, (Tech. Paper SPE 14878) SPEFE Mar., 88 139-146

Semmelbeck, M.E. and Holditch, S.A.: *The Effects of Mud-Filtrate Invasion on the Interpretation of Induction Logs*, (Tech. Paper SPE 14491) SPEFE June, 88 386-392

Shah, P.C. *et al.*: *Estimation of the Permeabilities and Skin Factors in Layered Reservoirs With Downhole Rate and Pressure Data*, (Tech. Paper SPE 14131) SPEFE Sept., 88 555-566

Sheely Jr., C.Q. *et al.*: *Analysis of the Low-Tension Pilot at Big Muddy Field, Wyoming*, (Tech. Paper SPE 12683) SPEFE June, 88 315-321

Shen, L. and Hao, Z.: *Mechanism of Transient Time Increase and Its Interpretation After Water Injection Into Reservoir M in the Lao Jun Miao Oil Field*, (Tech. Paper SPE 14846) SPEFE June, 88 471-479

Silva, P.L. and Bassiouni, Z.: *Hydrocarbon Saturation Equation in Shaly Sands According to the S-B Conductivity Model*, (Tech. Paper SPE 16039) SPEFE Sept., 88 503-509

Simpson, R.S. *et al.*: *Complex Dielectric Interpretation of 20-MHz Electromagnetic Logs*, (Tech. Paper SPE 15486) SPEFE Mar., 88 24-28

Sims, J.C. *et al.*: *Complex Dielectric Interpretation of 20-MHz Electromagnetic Logs*, (Tech. Paper SPE 15486) SPEFE Mar., 88 24-28

Sinha, A.K. *et al.*: *Estimation of Productivity of Lobo 6 Sand, Lower Wilcox, Texas, by Identifying Diagenetic Clays With Well Log Data*, (Tech. Paper SPE 14278) SPEFE June, 88 393-406

Skaug, M. *et al.*: *The Application of New Approaches for Shale Management in a Three-Dimensional Simulation Study of the Frigg Field*, (Tech. Paper SPE 15608) SPEFE Sept., 88 493-502

Smith, L.J. *et al.*: *Coiled-Tubing Logging System*, (Tech. Paper SPE 15489) SPEFE Mar., 88 37-39

Smits, R.M.M. *et al.*: *Prediction of Abrupt Reservoir Compaction and Surface Subsidence Caused By Pore Collapse in Carbonates*, (Tech. Paper SPE 15642) SPEFE June, 88 340-346

Smits, R.M.M. and de Waal, J.A.: *Prediction of Reservoir Compaction and Surface Subsidence: Field Application of a New Model*, (Tech. Paper SPE 14214) SPEFE June, 88 347-356

Smits, R.M.M. and de Waal, J.A.: *A Comparison Between the Pressure-Lag Model and the Rate-Type Model for the Prediction of Reservoir Compaction and Surface Subsidence*, (Tech. Paper SPE 16389) SPEFE June, 88 357-363

Soeder, D.J.: *Porosity and Permeability of Eastern Devonian Gas Shale*, (Tech. Paper SPE 15213) SPEFE Mar., 88 116-124

Soran, P.D. *et al.*: *Improved Environmental Corrections for Compensated Neutron Logs*, (Tech. Paper SPE 15540) SPEFE June, 88 371-376

Steinman, D.K. *et al.*: *Dual-Burst Thermal Decay Time Logging Principles*, (Tech. Paper SPE 15437) SPEFE June, 88 377-385

Straley, C. *et al.*: *A Three-Part Study of NMR Longitudinal Relaxation Properties of Water-Saturated Sandstones*, (Tech. Paper SPE 15643) SPEFE Sept., 88 622-636

Su, S-M. *et al.*: *A New High-Speed Hybrid Technique for Simulation and Inversion of Resistivity Logs*, (Tech. Paper SPE 14189) SPEFE Mar., 88 55-61

T

Tabanou, J.R. *et al.*: *A Borehole Correction Model for Capture Gamma Ray Spectroscopy Logging Tools*, (Tech. Paper SPE 14462) SPEFE Mar., 88 62-68

Tang, R.W.: *A Model of Limited-Entry Completions Undergoing Spherical Flow*, (Tech. Paper SPE 14310) SPEFE Dec., 88 761-770

Tappmeyer, D.M. *et al.*: *Geophysical Workstations in Production Geology*, (Tech. Paper SPE 14117) SPEFE June, 88 293-296

Tek, M.R. *et al.*: *The Effects of Wellbore Storage, Skin, and Turbulence Intensity on Early-Time Transient Flow of Real Gas Through Porous Media*, (Tech. Paper SPE 15525) SPEFE Sept., 88 547-554

Tester, J.W. *et al.*: *Reservoir Sizing Using Inert and Chemically Reacting Tracers*, (Tech. Paper SPE 13147) SPEFE Mar., 88 227-234

Thorne, B.J. and Morris, H.E.: *Advances in Borehole Seismic Fracture Diagnostics*, (Tech. Paper SPE 16405) SPEFE Dec., 88 711-715

Tiab, D. and Puthigai, S.K.: *Pressure-Derivative Type Curves for Vertically Fractured Wells*, (Tech. Paper SPE 11028) SPEFE Mar., 88 156-158

Tomutsa, L. *et al.*: *Evaluation and Comparison of Residual Oil Saturation Determination Techniques*, (Tech. Paper SPE 14887) SPEFE Mar., 88 251-262

V

van Kooten, J.F.C. *et al.*: *Prediction of Abrupt Reservoir Compaction and Surface Subsidence Caused By Pore Collapse in Carbonates*, (Tech. Paper SPE 15642) SPEFE June, 88 340-346

Villena Lanzi, A.J. *et al.*: *The Coefficient of Isothermal Compressibility of Black Oils at Pressures Below the Bubblepoint*, (Tech. Paper SPE 15664) SPEFE Sept., 88 659-662

Vongvuthipornchai, S. and Raghavan, R.: *A Note on the Duration of the Transitional Period of Responses Influenced by Wellbore Storage and Skin*, (Tech. Paper SPE 15273) SPEFE Mar., 88 207-214

W

Watson, A.T. *et al.*: *Model Selection for Well Test and Production Data Analysis*, (Tech. Paper SPE 15926) SPEFE Mar., 88 215-221

Whitehead, W.S. *et al.*: *The GRI Staged Field Experiment*, (Tech. Paper SPE 16429) SPEFE Sept., 88 519-533

Wijesinghe, A.M. and Kececioglu, I.: *Vertical-Interference Pressure Testing Across a Low-Permeability Zone With Unsteady Crossflow*, (Tech. Paper SPE 15583) SPEFE Dec., 88 751-760

Willemsen, J.F. *et al.*: *A Three-Part Study of NMR Longitudinal Relaxation Properties of Water-Saturated Sandstones*, (Tech. Paper SPE 15643) SPEFE Sept., 88 622-636

Witherspoon, P.A. *et al.*: *A New Analytic Model for Fracture-Dominated Reservoirs*, (Tech. Paper SPE 14171) SPEFE Mar., 88 242-250

Withjack, E.M.: *Computed Tomography for Rock-Property Determination and Fluid-Flow Visualization*, (Tech. Paper SPE 16951) SPEFE Dec., 88 696-704

Z

Zarcone, C. and Lenormand, R.: *Physics of Blob Displacement in a Two-Dimensional Porous Medium*, (Tech. Paper SPE 14882) SPEFE Mar., 88 271-275

Subject Index

A

Absorption
Gamma ray: techniques improve analysis of core displacement tests, (Tech. Paper SPE 14421) SPEFE Mar. 88, 69-75

Acoustics
Determination of producing bottomhole pressure, (Tech. Paper SPE 14254) SPEFE Sept. 88, 617-621

Alabama
Black Warrior basin: analysis of coalbed methane stimulations in, (Tech. Paper SPE 15218) SPEFE Sept. 88, 663-669
Black Warrior basin: stress-dependent permeability and porosity of coal and other geologic formations, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91
Oak Grove mine: analysis of coalbed methane stimulations in Black Warrior basin, (Tech. Paper SPE 15218) SPEFE Sept. 88, 663-669

Alaska
Artic: natural gas hydrates in, (Tech. Paper SPE 13593) SPEFE Mar. 88, 263-266
Prudhoe Bay field: pulse tests considering wellbore storage and skin effects; method for analyzing, (Tech. Paper SPE 15582) SPEFE Dec. 88, 743-750

Algorithm
Environmental corrections for compensated neutron logs, (Tech. Paper SPE 15540) SPEFE Jun. 88, 371-376
Improved estimation: for automated type-curve analysis of well tests, (Tech. Paper SPE 14255) SPEFE Mar. 88, 186-196
Mathematical: to study the effects of size, shape, and orientation of an impermeable region on transient pressure testing, (Tech. Paper SPE 16376) SPEFE Sept. 88, 595-606

Analytical Methods
Of pressure analysis for horizontal wells, (Tech. Paper SPE 14251) SPEFE Dec. 88, 716-724

Appalachian Basin
Eastern Devonian gas shale: porosity and permeability of, (Tech. Paper SPE 15213) SPEFE Mar. 88, 116-124

Arctic
Alaskan: natural gas hydrates in, (Tech. Paper SPE 13593) SPEFE Mar. 88, 263-266

Arizona
Northeastern: Jurassic Page sandstone; patterns of permeability in eolian deposits, (Tech. Paper SPE 14893) SPEFE Jun. 88, 297-306

Australia
Gippsland basin: interpretation example of geophysical workstations in production geology, (Tech. Paper SPE 14117) SPEFE Jun. 88, 293-296

B

Bachaquero Post-Eocene Reservoir
See Venezuela

Big Muddy Field
See Wyoming

Black Warrior Basin
See Alabama

Blobs
Displacement in two-dimensional porous medium: physics of, (Tech. Paper SPE 14882) SPEFE Mar. 88, 271-275

Boreholes
Correction model for gamma ray spectroscopy logging tools, (Tech. Paper SPE 14462) SPEFE Mar. 88, 62-68
Seismic fracture diagnostics: advances in, (Tech. Paper SPE 16405) SPEFE Dec. 88, 711-715

Bottomhole Pressure
Producing: acoustic determination of, (Tech. Paper SPE 14254) SPEFE Sept. 88, 617-621

Bubblepoint
Pressures below: coefficient of isothermal compressibility of black oils at, (Tech. Paper SPE 15664) SPEFE Sept. 88, 659-662
Reservoir: effects of multiphase flow on interpretation of pressure-buildup tests, (Tech. Paper SPE 15537) SPEFE Jun. 88, 459-466

Buildup Analyses
Derivative type curves for well test: new approach for constructing, (Tech. Paper SPE 16473) SPEFE Mar. 88, 197-206
For fractured wells producing at constant pressure, (Tech. Paper SPE 13629) SPEFE Mar. 88, 169-178

C

Calibration
Computer determination of: for natural spectral gamma ray logging system, (Tech. Paper SPE 14186) SPEFE Sept. 88, 637-644

California
Coastal basins: complex dielectric interpretation of 20-MHz electromagnetic logs, (Tech. Paper SPE 15486) SPEFE Mar. 88, 24-28
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419

Canada
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
Mackenzie Delta: example of two-point method for determination of undisturbed reservoir temperature, (Tech. Paper SPE 15204) SPEFE Mar. 88, 222-226
Wilmington field: prediction of reservoir compaction and surface subsidence: comparison between pressure-lag and rate-type models for, (Tech. Paper SPE 16389) SPEFE Jun. 88, 357-363

Capillary Pressure
And relative permeability: simultaneous determination by automatic history matching, (Tech. Paper SPE 14418) SPEFE Jun. 88, 322-328
Different measurement techniques: factors affecting equivalency of, (Tech. Paper SPE 15384) SPEFE Mar. 88, 147-155

Carbon
Total organic content: determined from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419

Carbon/Oxygen Log
Measurement: response for inelastic gamma ray spectroscopy tool, (Tech. Paper SPE 14460) SPEFE Mar. 88, 76-80

Carbonates
Abrupt reservoir compaction and surface subsidence caused by pore collapse: prediction of, (Tech. Paper SPE 15642) SPEFE Jun. 88, 340-346

Casing
Pay zone behind: evaluation in freshwater environment; Muldoon field, Texas, (Tech. Paper SPE 14464) SPEFE Mar. 88, 92-96

Centrifuge
Tests: factors affecting equivalency of different capillary pressure measurement techniques, (Tech. Paper SPE 15384) SPEFE Mar. 88, 147-155

Chalk
North Sea reservoir surfaces: water imbibition and characterization of, (Tech. Paper SPE 14108) SPEFE Mar. 88, 125-130

Chapel Hill Field
See Texas

China
Beibu Gulf: interpretation example of geophysical workstations in production geology, (Tech. Paper SPE 14117) SPEFE Jun. 88, 293-296

Lao Jun Miao field: mechanism of transit time increase and its interpretation after water injection into Oil Reservoir M, (Tech. Paper SPE 14846) SPEFE Jun. 88, 471-479

Chlorine Logging

In low-salinity reservoir: test of high-resolution spectroscopy logging tool to measure chlorine, (Tech. Paper SPE 15438) SPEFE Mar. 88, 40-46

Clays

Diagenetic: identifying with well log data; estimation of productivity, (Tech. Paper SPE 14278) SPEFE Jun. 88, 393-406

Coals

Analysis of coalbed methane stimulations: Warrior basin, Alabama, (Tech. Paper SPE 15218) SPEFE Sept. 88, 663-669

Desorption for coalbed methane and Devonian shale: gas-well testing in presence of, (Tech. Paper SPE 15227) SPEFE Mar. 88, 179-185

Stress-dependent permeability and porosity of, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91

Coefficients

Of isothermal compressibility: black oils at pressures below bubblepoint, (Tech. Paper SPE 15664) SPEFE Sept. 88, 659-662

Colorado

Evaluation of gas-extraction efficiency during mud-logging operations, (Tech. Paper SPE 16158) SPEFE Dec. 88, 686-690

Piceance Creek basin: central part; geologic and engineering implications of production history from five Mesaverde wells, (Tech. Paper SPE 15237) SPEFE Jun. 88, 307-314

Piceance basin: stress-Dependent Permeability and Porosity of coal and other geologic formations, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91

Compaction

And surface subsidence caused by pore collapse in carbonates: prediction of abrupt reservoir occurrence, (Tech. Paper SPE 15642) SPEFE Jun. 88, 340-346

And surface subsidence: comparison between pressure-lag model and rate-type model for reservoir prediction of, (Tech. Paper SPE 16389) SPEFE Jun. 88, 357-363

Of reservoir: and surface subsidence; prediction of; field application of a new model, (Tech. Paper SPE 14214) SPEFE Jun. 88, 347-356

Completion

Limited-entry: undergoing spherical flow; model of, (Tech. Paper SPE 14310) SPEFE Dec. 88, 761-770

Compressibility

Isothermal: coefficient of black oils at pressures below bubblepoint, (Tech. Paper SPE 15664) SPEFE Sept. 88, 659-662

Computers

Automated interpretation: use of simultaneous flow-rate and presssure measurements to replace isochronal gas well tests, (Tech. Paper SPE 14494) SPEFE Jun. 88, 467-470

Automated type-curve analysis of well tests: improved estimation algorithms for, (Tech. Paper SPE 14255) SPEFE Mar. 88, 186-196

Determination of calibration and environmental corrections for a natural spectral gamma ray logging system, (Tech. Paper SPE 14186) SPEFE Sept. 88, 637-644

Model: effect of dipping beds on response of induction tools, (Tech. Paper SPE 15488) SPEFE Mar. 88, 29-36

Conductivity

Infinite vertical fracture: pressure-transient response in reservoir with double-porosity behavior, (Tech. Paper SPE 12778) SPEFE Sept. 88, 510-518

S-B model: hydrocarbon saturation equation in shaly sands according to, (Tech. Paper SPE 16039) SPEFE Sept. 88, 503-509

Contamination

Of cores: cleaning for restoration of native wettability, (Tech. Paper SPE 14875) SPEFE Mar. 88, 131-138

Controls

On reservoir quality in tight sandstones: Travis Peak formation, east Texas, (Tech. Paper SPE 15220) SPEFE Mar. 88, 97-104

Core Analysis

Displacement tests: gamma ray absorption techniques improve analysis, (Tech. Paper SPE 14421) SPEFE Mar. 88, 69-75

Of eastern Devonian gas shale: porosity and permeability of, (Tech. Paper SPE 15213) SPEFE Mar. 88, 116-124

Corefloods

For rock-property determination and fluid-flow visualization: computed tomography for, (Tech. Paper SPE 16951) SPEFE Dec. 88, 696-704

Cores

Cleaning: for restoration of native wettability, (Tech. Paper SPE 14875) SPEFE Mar. 88, 131-138

Laboratory measurement of porosity: reliability in tight gas sands, (Tech. Paper SPE 16401) SPEFE Dec. 88, 705-710

Low-permeability: method for simultaneous determination of permeability and porosity, (Tech. Paper SPE 15379) SPEFE Sept. 88, 651-658

Preservation with laminated, heat-sealed package, (Tech. Paper SPE 15382) SPEFE Dec. 88, 691-695

Coring

Pressure: measurements in tight sandstone lenses during multiwell experiment, (Tech. Paper SPE 12853) SPEFE Sept. 88, 645-650

Correlations

Effective oil-gradient: acoustic determination of producing bottomhole pressure, (Tech. Paper SPE 14254) SPEFE Sept. 88, 617-621

Empirical of tracer modal volumes vs. reservoir heat-transfer capacity: reservoir sizing using inert and chemically reacting tracers, (Tech. Paper SPE 13147) SPEFE Mar. 88, 227-234

For buildup and drawdown cases: pressure-transient analysis for fractured wells producing at constant pressure, (Tech. Paper SPE 13629) SPEFE Mar. 88, 169-178

Of black-oil coefficient of isothermal compressibility at pressures below bubblepoint, (Tech. Paper SPE 15664) SPEFE Sept. 88, 659-662

Of dimensionless time and storage: note on duration of transitional period of responses influenced by wellbore storage and skin, (Tech. Paper SPE 15273) SPEFE Mar. 88, 207-214

Optical dipmeter: obtaining structural and stratigraphic dip information; use of segmentation trees and optimization, (Tech. Paper SPE 15539) SPEFE Mar. 88, 47-54

Variograms and spatial: patterns of permeability in eolian, Jurassic Page sandstone of northeastern Arizona, (Tech. Paper SPE 14893) SPEFE Jun. 88, 297-306

Crossflow

And pressure transients: caused by diffusivities in multilayer reservoirs, (Tech. Paper SPE 11966) SPEFE Jun. 88, 438-448

In layered reservoirs: estimation of permeabilities and skin factors with downhole rate and pressure data, (Tech. Paper SPE 14131) SPEFE Sept. 88, 555-566

Unsteady: vertical-interference pressure testing across low permeability zone with, (Tech. Paper SPE 15583) SPEFE Dec. 88, 751-760

D

Data
- Downhole rate and pressure: estimation of permeabilities and skin factors in layered reservoirs with, (Tech. Paper SPE 14131) SPEFE Sept. 88, 555-566
- Rate and acoustically derived pressure: transient analysis of acoustically derived pressure and rate data, (Tech. Paper SPE 15481) SPEFE Sept. 88, 607-616
- Well log: identifying diagenetic clays with; estimation of productivity of Lobo 6 sand, Lower Wilcox, Texas, (Tech. Paper SPE 14278) SPEFE Jun. 88, 393-406

Deposition
- Eolian: patterns of permeability in; Page Sandstone (Jurassic), northeastern Arizona, (Tech. Paper SPE 14893) SPEFE Jun. 88, 297-306
- Systems and diagenesis of Travis Peak tight-gas sandstone reservoirs: Sabine Uplift area, Texas, (Tech. Paper SPE 14666) SPEFE Mar. 88, 105-115

Design
- Test design: pressure analysis for, (Tech. Paper SPE 14251) SPEFE Dec. 88, 716-724

Detection
- Of a circular impermeable of compressible subregion: interference testing, (Tech. Paper SPE 15585) SPEFE Jun. 88, 420-428

Developments
- In multiple-well testing, (Tech. Paper SPE 14100) SPEFE Mar. 88, 159-168

Diagenesis
- And depositional systems of Travis Peak tight-gas sandstone reservoirs: Sabine Uplift area, Texas, (Tech. Paper SPE 14666) SPEFE Mar. 88, 105-115

Dielectric Logging
- Electromagnetic logs, 20-MHz: complex interpretation, (Tech. Paper SPE 15486) SPEFE Mar. 88, 24-28
- Electromagnetic wireline tools: analytic model for, (Tech. Paper SPE 14190) SPEFE Mar. 88, 17-23

Diffusion
- Model, physics of: dual-burst thermal-decay-time logging principles, (Tech. Paper SPE 15437) SPEFE Jun. 88, 377-385

Diffusivity
- In multilayer reservoirs: pressure transients and crossflow caused by, (Tech. Paper SPE 11966) SPEFE Jun. 88, 438-448

Dimensionless Groups
- Of time and storage: note on duration of transitional period of responses influenced by wellbore storage and skin, (Tech. Paper SPE 15273) SPEFE Mar. 88, 207-214

Dip
- Of beds: effect on response of induction tools, (Tech. Paper SPE 15488) SPEFE Mar. 88, 29-36

Dipmeter Logging
- In oil-based mud: microinduction sensor for, (Tech. Paper SPE 16761) SPEFE Dec. 88, 733-742
- Structural and stratigraphic dip information obtained: segmentation trees and optimization used, (Tech. Paper SPE 15539) SPEFE Mar. 88, 47-54

Displacement
- Of blob: physics in two-dimensional porous medium, (Tech. Paper SPE 14882) SPEFE Mar. 88, 271-275
- Tests: gamma ray absorption techniques improve analysis of cores, (Tech. Paper SPE 14421) SPEFE Mar. 88, 69-75

Drainage
- Capillary pressure: factors affecting equivalency of different measurement techniques, (Tech. Paper SPE 15384) SPEFE Mar. 88, 147-155
- Radius of: relationship with cumulative production, (Tech. Paper SPE 16035) SPEFE Mar. 88, 267-270
- Radius of: relationship with cumulative production; discussion of, (Tech. Paper, Discussion SPE 18561) SPEFE Sept. 88, 670
- Radius of: relationship with cumulative production; discussion of, (Tech. Paper, Discussion SPE 18601) SPEFE Dec. 88, 771-772

Drawdown Analyses
- Derivative type curves for well test: new approach for constructing, (Tech. Paper SPE 16473) SPEFE Mar. 88, 197-206
- For fractured wells producing at constant pressure, (Tech. Paper SPE 13629) SPEFE Mar. 88, 169-178

Drillstem Testing
- Analytical simulator for interpretation, (Tech. Paper SPE 16380) SPEFE Dec. 88, 725-732

E

Economics
- Of gas production from gas hydrates: Alaskan arctic, (Tech. Paper SPE 13593) SPEFE Mar. 88, 263-266

Efficiency
- Gas-extraction: evaluation during mud-logging operations, (Tech. Paper SPE 16158) SPEFE Dec. 88, 686-690

Electromagnetism
- 20-MHz logs: complex dielectric interpretation, (Tech. Paper SPE 15486) SPEFE Mar. 88, 24-28
- In wireline tools: analytic models for, (Tech. Paper SPE 14190) SPEFE Mar. 88, 17-23

Engineering
- And geologic implications of production history: five Mesaverde wells in central Piceance Creek basin, northwest Colorado, (Tech. Paper SPE 15237) SPEFE Jun. 88, 307-314

Enhanced Recovery
- Oil: evaluation and comparison of residual oil saturation determination techniques, (Tech. Paper SPE 14887) SPEFE Mar. 88, 251-262

Environmental Studies
- Correction for natural spectral gamma ray logging system: computer determination of, (Tech. Paper SPE 14186) SPEFE Sept. 88, 637-644
- Improved environmental corrections for compensated neutron logs, (Tech. Paper SPE 15540) SPEFE Jun. 88, 371-376

Environments
- Freshwater: evaluation of behind-casing pay zones; Muldoon field, Texas, (Tech. Paper SPE 14464) SPEFE Mar. 88, 92-96
- Interactive: geophysical workstations in production geology, (Tech. Paper SPE 14117) SPEFE Jun. 88, 293-296

Equipment
- Capture gamma ray spectroscopy logging tools: borehole correction model for, (Tech. Paper SPE 14462) SPEFE Mar. 88, 62-68
- Coiled-tubing logging system, (Tech. Paper SPE 15489) SPEFE Mar. 88, 37-39
- Electromagnetic wireline tools: analytic model for, (Tech. Paper SPE 14190) SPEFE Mar. 88, 17-23
- Gamma ray absorption apparatus: techniques improve analysis of core displacement tests, (Tech. Paper SPE 14421) SPEFE Mar. 88, 69-75
- Induction tools: effect of dipping beds on response, (Tech. Paper SPE 15488) SPEFE Mar. 88, 29-36
- Inelastic gamma ray spectroscopy tool: response of carbon/oxygen measurement for, (Tech. Paper SPE 14460) SPEFE Mar. 88, 76-80
- Microinduction sensor: for oil-based mud dipmeter, (Tech. Paper SPE 16761) SPEFE Dec. 88, 733-742

Evaluations
- And comparison: of residual oil saturation determination techniques, (Tech. Paper SPE 14887) SPEFE Mar. 88, 251-262

Of analytic technique for estimating swept volume: thermal pressure-falloff tests in heterogeneous systems, (Tech. Paper SPE 12657) SPEFE Jun. 88, 449-458
Of behind-casing pay zones in freshwater environment: Muldoon field, Texas, (Tech. Paper SPE 14464) SPEFE Mar. 88, 92-96
Of core preservation with laminated, heat-sealed package, (Tech. Paper SPE 15382) SPEFE Dec. 88, 691-695
Of gas-extraction efficiency during mud-logging operations, (Tech. Paper SPE 16158) SPEFE Dec. 88, 686-690
Of hydrocarbon wells by impulse testing, (Tech. Paper SPE 15911) SPEFE Sept. 88, 534-546

Extraction
Efficiency of gas: evaluation during mud-logging operations, (Tech. Paper SPE 16158) SPEFE Dec. 88, 686-690

F

Fenton Hill Site
See New Mexico

Field Applications
Of abrupt reservoir compaction and surface subsidence caused by pore collapse in carbonates, (Tech. Paper SPE 15642) SPEFE Jun. 88, 340-346
Of automatic type-curve matching for well test analysis, (Tech. Paper SPE 16443) SPEFE Sept. 88, 567-577
Of impulse testing, (Tech. Paper SPE 15911) SPEFE Sept. 88, 534-546
Of multiple-well testing: new developments, (Tech. Paper SPE 14100) SPEFE Mar. 88, 159-168
Of new model: prediction of reservoir compaction and surface subsidence, (Tech. Paper SPE 14214) SPEFE Jun. 88, 347-356
Of total organic carbon content determined from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
Of transient analysis of acoustically derived pressure and rate data, (Tech. Paper SPE 15481) SPEFE Sept. 88, 607-616

Field Tests
Low-permeability reservoirs: short-term transient-rate and pressure-buildup analysis: authors' reply to discussion of, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept. 88, 672
Low-permeability reservoirs: short-term transient-rate and pressure-buildup analysis; discussion of, (Tech. Paper, Discussion SPE 17922) SPEFE Sept. 88, 671-672
Of GRI staged experiment, (Tech. Paper SPE 16429) SPEFE Sept. 88, 519-533
Of acoustic determination of producing bottomhole pressure, (Tech. Paper SPE 14254) SPEFE Sept. 88, 617-621
Of analytical simulator for drillstem test interpretation, (Tech. Paper SPE 16380) SPEFE Dec. 88, 725-732
Of core preservation with laminated, heat-sealed package, (Tech. Paper SPE 15382) SPEFE Dec. 88, 691-695
Of gas-extraction efficiency: evaluation during mud-logging operations, (Tech. Paper SPE 16158) SPEFE Dec. 88, 686-690
Of method for analyzing pulse tests: wellbore storage and skin effects considered, (Tech. Paper SPE 15582) SPEFE Dec. 88, 743-750
Of stress-dependent permeability and porosity: coal and other geologic formations, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91

Flow Rate
Simultaneous with pressure measurements: use to replace isochronal gas well tests, (Tech. Paper SPE 14494) SPEFE Jun. 88, 467-470

Flowing Wells
Interpretation of response in gas-condensate wells, (Tech. Paper SPE 14204) SPEFE Sept. 88, 578-594

Fluid Flow
Multiphase: effects on interpretation of pressure-buildup tests, (Tech. Paper SPE 15537) SPEFE Jun. 88, 459-466
Relationship between radius of drainage and cumulative production, (Tech. Paper SPE 16035) SPEFE Mar. 88, 267-270
Relationship between radius of drainage and cumulative production; discussion of, (Tech. Paper, Discussion SPE 18561) SPEFE Sept. 88, 670
Relationship between radius of drainage and cumulative production; discussion of, (Tech. Paper, Discussion SPE 18601) SPEFE Dec. 88, 771-772
Spherical: model of limited-entry completions undergoing, (Tech. Paper SPE 14310) SPEFE Dec. 88, 761-770
Visualization: and rock-property determination; computed tomography for, (Tech. Paper SPE 16951) SPEFE Dec. 88, 696-704

Formation Fractures
Borehole seismic diagnostics: advances in, (Tech. Paper SPE 16405) SPEFE Dec. 88, 711-715
Vertical: of infinite conductivity; pressure-transient response in reservoir with double-porosity behavior, (Tech. Paper SPE 12778) SPEFE Sept. 88, 510-518

Formation Tester
Repeat, RFT-measured pulse test: interpreting with three-dimensional simulator, (Tech. Paper SPE 14878) SPEFE Mar. 88, 139-146

Fractured Reservoirs or Fracturing
Pressure-transient analysis: fractured wells producing at constant pressure, (Tech. Paper SPE 13629) SPEFE Mar. 88, 169-178

Fractures
Borehole seismic diagnostics: advances in, (Tech. Paper SPE 16405) SPEFE Dec. 88, 711-715
Reservoirs dominated by: new analytic model for, (Tech. Paper SPE 14171) SPEFE Mar. 88, 242-250
Vertical wells: pressure-derivative type curves for, (Tech. Paper SPE 11028) SPEFE Mar. 88, 156-158
Vertical: of infinite conductivity; pressure-transient response in reservoir with double-porosity behavior, (Tech. Paper SPE 12778) SPEFE Sept. 88, 510-518

France
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419

Frigg Field
See North Sea

G

Gamma Ray Logging
Natural spectral system: computer determination of calibration and environmental corrections for, (Tech. Paper SPE 14186) SPEFE Sept. 88, 637-644

Gamma Rays
Absorption techniques improve analysis of core displacement tests, (Tech. Paper SPE 14421) SPEFE Mar. 88, 69-75

Gas Condensates
Interpretation of flowing well response, (Tech. Paper SPE 14204) SPEFE Sept. 88, 578-594

Gas Processing
Simulators for plant operators, (Tech. Paper SPE 13739) SPEFE Mar. 88, 276-280

Gas Production
From gas hydrates: economics in Alaskan arctic, (Tech. Paper SPE 13593) SPEFE Mar. 88, 263-266

Gas Reservoirs
Depositional systems and diagenesis of Travis Peak tight sandstone: Sabine Uplift area, Texas, (Tech. Paper SPE 14666) SPEFE Mar. 88, 105-115

Gas Wells
Deliverability: early-time transient flow of real gas through porous media; effects of wellbore storage, skin, and turbulence intensity on, (Tech. Paper SPE 15525) SPEFE Sept. 88, 547-554
Drillstem test: analytical simulator for interpretation of, (Tech. Paper SPE 16380) SPEFE Dec. 88, 725-732

Isochronal tests: use of simultaneous flow-rate and pressure measurements to replace, (Tech. Paper SPE 14494) SPEFE Jun. 88, 467-470
Testing in presence of desorption for coalbed methane and Devonian shale, (Tech. Paper SPE 15227) SPEFE Mar. 88, 179-185

Geology
And engineering implications of production history: five Mesaverde wells in central Piceance Creek basin, northwest Colorado, (Tech. Paper SPE 15237) SPEFE Jun. 88, 307-314
Production: geophysical workstations in, (Tech. Paper SPE 14117) SPEFE Jun. 88, 293-296

Geophysics
Geophysical workstations in production geology, (Tech. Paper SPE 14117) SPEFE Jun. 88, 293-296

Geothermal Reservoir
Ohaaki field, New Zealand: multiple-well interference testing, (Tech. Paper SPE 15122) SPEFE Jun. 88, 429-437
Sizing using inert and chemically reacting tracers, (Tech. Paper SPE 13147) SPEFE Mar. 88, 227-234

H

Heat
Sealed package, laminated: use in core preservation, (Tech. Paper SPE 15382) SPEFE Dec. 88, 691-695

Heterogeneity
Detecting a circular impermeable or compressible subregion by interference testing, (Tech. Paper SPE 15585) SPEFE Jun. 88, 420-428
Highly ordered: eolian, Jurassic Page sandstone of northeastern Arizona, (Tech. Paper SPE 14893) SPEFE Jun. 88, 297-306
Reservoir: evaluation of an analytic technique for estimating swept volume; thermal pressure-falloff tests in heterogeneous systems, (Tech. Paper SPE 12657) SPEFE Jun. 88, 449-458

History
Automatic matching: use in simultaneous determination of capillary pressure and relative permeability, (Tech. Paper SPE 14418) SPEFE Jun. 88, 322-328
Matching: automatic type curve for well test analysis, (Tech. Paper SPE 16443) SPEFE Sept. 88, 567-577
Production: geologic and engineering implications of; five Mesaverde wells in central Piceance basin, northwest Colorado, (Tech. Paper SPE 15237) SPEFE Jun. 88, 307-314

Horizontal Well
Pressure analysis for, (Tech. Paper SPE 14251) SPEFE Dec. 88, 716-724

Hydrates
Natural gas: in Alaskan arctic, (Tech. Paper SPE 13593) SPEFE Mar. 88, 263-266

Hydrocarbons
Saturation equation: in shaly sands according to S-B conductivity model, (Tech. Paper SPE 16039) SPEFE Sept. 88, 503-509

I

Imbibition
Of blob displacement: physics in two-dimensional porous medium, (Tech. Paper SPE 14882) SPEFE Mar. 88, 271-275
Water: and characterization of North Sea chalk reservoir surfaces, (Tech. Paper SPE 14108) SPEFE Mar. 88, 125-130

Induction Logging
Electromagnetic wireline tools: analytic model for, (Tech. Paper SPE 14190) SPEFE Mar. 88, 17-23
Interpretation of logs: effects of mud-filtrate invasion, (Tech. Paper SPE 14491) SPEFE Jun. 88, 386-392
Tools: effect of dipping beds on response, (Tech. Paper SPE 15488) SPEFE Mar. 88, 29-36

Injection
Water: into Reservoir M, Lao Jun Miao oil field: mechanism of transit time increase and its interpretation, (Tech. Paper SPE 14846) SPEFE Jun. 88, 471-479

Instrumentation
Of triaxial borehole seismic system: advances in fracture diagnostics, (Tech. Paper SPE 16405) SPEFE Dec. 88, 711-715

Insulators
Multiple-well testing: Ohaaki geothermal field, (Tech. Paper SPE 15122) SPEFE Jun. 88, 429-437
Testing: detecting a circular impermeable or compressible subregion, (Tech. Paper SPE 15585) SPEFE Jun. 88, 420-428

Interference
Testing of multiple wells: new developments, (Tech. Paper SPE 14100) SPEFE Mar. 88, 159-168
Vertical pressure testing: across low permeability zone with unsteady crossflow, (Tech. Paper SPE 15583) SPEFE Dec. 88, 751-760

Interpretation
And transit time increase: mechanism after water injection into Reservoir M; Lao Jun Miao oil field, China, (Tech. Paper SPE 14846) SPEFE Jun. 88, 471-479
Automatic well test: type-curve matching for, (Tech. Paper SPE 16443) SPEFE Sept. 88, 567-577
Complex dielectric: 20-MHz electromagnetic logs, (Tech. Paper SPE 15486) SPEFE Mar. 88, 24-28
Methods: of pressure analysis for horizontal wells, (Tech. Paper SPE 14251) SPEFE Dec. 88, 716-724
Of RFT-measured pulse test with three-dimensional simulator, (Tech. Paper SPE 14878) SPEFE Mar. 88, 139-146
Of drillstem test: analytical simulator for, (Tech. Paper SPE 16380) SPEFE Dec. 88, 725-732
Of field and laboratory data: in evaluating core preservation with laminated, heat-sealed package, (Tech. Paper SPE 15382) SPEFE Dec. 88, 691-695
Of flowing well response: gas-condensate wells, (Tech. Paper SPE 14204) SPEFE Sept. 88, 578-594
Of induction log: effects of mud-filtrate invasion, (Tech. Paper SPE 14491) SPEFE Jun. 88, 386-392
Of induction logs: effect of dipping beds on response of tools, (Tech. Paper SPE 15488) SPEFE Mar. 88, 29-36
Of pressure-buildup tests: effects of multiphase flow on, (Tech. Paper SPE 15537) SPEFE Jun. 88, 459-466
Of pressure-derivative type curves: vertically fractured wells, (Tech. Paper SPE 11028) SPEFE Mar. 88, 156-158
Of response of carbon/oxygen measurement: inelastic gamma ray spectroscopy tool, (Tech. Paper SPE 14460) SPEFE Mar. 88, 76-80

Interstitial Water
Saturation: factors affecting equivalency of different capillary pressure measurement techniques, (Tech. Paper SPE 15384) SPEFE Mar. 88, 147-155

Invasion
Mud-filtrate: effects on interpretation of induction logs, (Tech. Paper SPE 14491) SPEFE Jun. 88, 386-392

Inversion
And simulation of resistivity logs: new high-speed hybrid technique, (Tech. Paper SPE 14189) SPEFE Mar. 88, 55-61

Isochronal Test
Gas wells: use of simultaneous flow-rate and pressure measurements to replace, (Tech. Paper SPE 14494) SPEFE Jun. 88, 467-470

K

Kentucky
Eastern Devonian gas shale: porosity and permeability of, (Tech. Paper SPE 15213) SPEFE Mar. 88, 116-124

L

Laboratory Studies
Borehole correction model for capture gamma ray spectroscopy logging tools, (Tech. Paper SPE 14462) SPEFE Mar. 88, 62-68
Capillary-pressure measurement: factors affecting equivalency of different techniques, (Tech. Paper SPE 15384) SPEFE Mar. 88, 147-155
Core cleaning: for restoration of native wettability, (Tech. Paper SPE 14875) SPEFE Mar. 88, 131-138
Core displacement tests: gamma ray absorption techniques improve analysis, (Tech. Paper SPE 14421) SPEFE Mar. 88, 69-75
Environmental corrections: improved for compensated neutron logs, (Tech. Paper SPE 15540) SPEFE Jun. 88, 371-376
Hole-punching technique: mechanism of transit-time increase and its interpretation after water injection into Reservoir M; Lao Jun Miao oil field, China, (Tech. Paper SPE 14846) SPEFE Jun. 88, 471-479
Measurement of hydraulic properties of tight sandstones: influence of water-desaturation technique and stress on, (Tech. Paper SPE 15210) SPEFE Dec. 88, 679-685
Of NMR longitudinal relaxation properties of water-saturated sandstones: three-part study, (Tech. Paper SPE 15643) SPEFE Sept. 88, 622-636
Of blob displacement in two-dimensional porous medium, (Tech. Paper SPE 14882) SPEFE Mar. 88, 271-275
Of coal and other geologic formations: stress-dependent permeability and porosity, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91
Of core preservation with laminated, heat-sealed package, (Tech. Paper SPE 15382) SPEFE Dec. 88, 691-695
Of gas-extraction efficiency: evaluation during mud-logging operations, (Tech. Paper SPE 16158) SPEFE Dec. 88, 686-690
Of microinduction sensor: for oil-based mud dipmeter, (Tech. Paper SPE 16761) SPEFE Dec. 88, 733-742
Of permeability and PV vs. net confining stress: two-point determination of, (Tech. Paper SPE 15380) SPEFE Mar. 88, 235-241
Of porosity measurement in tight gas sands: reliability of results, (Tech. Paper SPE 16401) SPEFE Dec. 88, 705-710
Of prediction of abrupt reservoir compaction and surface subsidence caused by pore collapse in carbonates, (Tech. Paper SPE 15642) SPEFE Jun. 88, 340-346
Of rock-property determination and fluid-flow visualization: computed tomography for, (Tech. Paper SPE 16951) SPEFE Dec. 88, 696-704
Prediction of reservoir compaction and surface subsidence: field application of a new model, (Tech. Paper SPE 14214) SPEFE Jun. 88, 347-356
Pressure-core measurements in tight sandstone lenses during Multiwell Experiment, (Tech. Paper SPE 12853) SPEFE Sept. 88, 645-650
Simulation of a log-inject-log (LIL) operation: dual-burst thermal-decay-time logging principles, (Tech. Paper SPE 15437) SPEFE Jun. 88, 377-385
Simultaneous determination of capillary pressure and relative permeability by automatic history matching, (Tech. Paper SPE 14418) SPEFE Jun. 88, 322-328
Simultaneous determination of permeability and porosity in low permeability cores, (Tech. Paper SPE 15379) SPEFE Sept. 88, 651-658
Water imbibition and characterization of reservoir surfaces: North Sea chalk, (Tech. Paper SPE 14108) SPEFE Mar. 88, 125-130

Lao Jun Miao Field
See China

Laterolog
Dual: simulation and inversion of resistivity logs; new high-speed hybrid technique, (Tech. Paper SPE 14189) SPEFE Mar. 88, 55-61

Lenses
Of tight sandstone: pressure-core measurements during Multiwell Experiment, (Tech. Paper SPE 12853) SPEFE Sept. 88, 645-650

Limited Entry
Completions undergoing spherical flow: model of, (Tech. Paper SPE 14310) SPEFE Dec. 88, 761-770

Liquids
Condensation in gas-condensate wells; effect on interpretion of flowing well response, (Tech. Paper SPE 14204) SPEFE Sept. 88, 578-594

Logging
Capture gamma ray spectroscopy tools: borehole correction model for, (Tech. Paper SPE 14462) SPEFE Mar. 88, 62-68
Coiled-tubing system, (Tech. Paper SPE 15489) SPEFE Mar. 88, 37-39
High-resolution spectroscopy tool to measure chlorine: low-salinity reservoir, (Tech. Paper SPE 15438) SPEFE Mar. 88, 40-46

Low-Tension Flooding
Pilot test: analysis of; Big Muddy field, Wyoming, (Tech. Paper SPE 12683) SPEFE Jun. 88, 315-321

M

Management
Of shale: application of new approaches; three-dimensional simulation study of Frigg field, (Tech. Paper SPE 15608) SPEFE Sept. 88, 493-502

Measurement
Capillary pressure: factors affecting equivalency of different techniques, (Tech. Paper SPE 15384) SPEFE Mar. 88, 147-155
Carbon/oxygen: response for inelastic gamma ray spectroscopy tool, (Tech. Paper SPE 14460) SPEFE Mar. 88, 76-80
In laboratory of hydraulic properties of tight sandstones: influence of water-desaturation technique and stress on, (Tech. Paper SPE 15210) SPEFE Dec. 88, 679-685
Of chlorine in low-salinity reservoir: test of high-resolution spectroscopy logging tool, (Tech. Paper SPE 15438) SPEFE Mar. 88, 40-46
Of porosity in tight gas sands: reliability of laboratory results, (Tech. Paper SPE 16401) SPEFE Dec. 88, 705-710
Of residual oil saturation: evaluation and comparison of techniques, (Tech. Paper SPE 14887) SPEFE Mar. 88, 251-262
Of stress-dependent properties: two-point determination of permeability and PV vs. net confining stress, (Tech. Paper SPE 15380) SPEFE Mar. 88, 235-241
Of undisturbed reservoir temperature: two-point method for determining, (Tech. Paper SPE 15204) SPEFE Mar. 88, 222-226
Pressure and flow rate simultaneous: use to replace isochronal gas well tests, (Tech. Paper SPE 14494) SPEFE Jun. 88, 467-470

Pressure-core: in tight sandstone lenses during Multiwell Experiment, (Tech. Paper SPE 12853) SPEFE Sept. 88, 645-650
Simultaneously of capillary pressure and relative permeability by automatic history matching, (Tech. Paper SPE 14418) SPEFE Jun. 88, 322-328
Sizing using inert and chemically reacting tracers, (Tech. Paper SPE 13147) SPEFE Mar. 88, 227-234

Methane
Coalbed: analysis of stimulations in Warrior basin, Alabama, (Tech. Paper SPE 15218) SPEFE Sept. 88, 663-669
Coalbed: and Devonian shale; gas-well testing in presence of desorption for, (Tech. Paper SPE 15227) SPEFE Mar. 88, 179-185

Miscible Displacement
In laboratory cores: and rock-property determination and fluid-flow visualization; computed tomography for, (Tech. Paper SPE 16951) SPEFE Dec. 88, 696-704

Models
Analytic: new for fracture-dominated reservoirs, (Tech. Paper SPE 14171) SPEFE Mar. 88, 242-250
Analytical: describing the experimental apparatus for simultaneous determination of permeability and porosity in low-permeability cores, (Tech. Paper SPE 15379) SPEFE Sept. 88, 651-658
Borehole correction: for capture gamma ray spectroscopy logging tools, (Tech. Paper SPE 14462) SPEFE Mar. 88, 62-68
Computer: effect of dipping beds on response of induction tools, (Tech. Paper SPE 15488) SPEFE Mar. 88, 29-36
Computer: for determination of calibration and environmental corrections: natural spectral gamma ray logging system, (Tech. Paper SPE 14186) SPEFE Sept. 88, 637-644
Finite-difference computer: investigating effects of mud-filtrate invasion on interpretation of induction logs, (Tech. Paper SPE 14491) SPEFE Jun. 88, 386-392
Geologic: of Frigg field; application of new approaches for shale management in three-dimensional simulation study, (Tech. Paper SPE 15608) SPEFE Sept. 88, 493-502
Hydraulic fracture: coalbed methane stimulations; analysis in Warrior basin, Alabama, (Tech. Paper SPE 15218) SPEFE Sept. 88, 663-669
In-situ combustion and steamflood: evaluation of an analytic technique for estimating swept volume; thermal pressure-falloff tests in heterogeneous reservoirs, (Tech. Paper SPE 12657) SPEFE Jun. 88, 449-458
Interpretation: for inelastic gamma ray spectroscopy tool: response of carbon/oxygen measurement, (Tech. Paper SPE 14460) SPEFE Mar. 88, 76-80
Mathematical: for duration of transitional period of responses influenced by wellbore storage and skin, (Tech. Paper SPE 15273) SPEFE Mar. 88, 207-214
Mathematical: for electromagnetic wireline tools, (Tech. Paper SPE 14190) SPEFE Mar. 88, 17-23
Mathematical: for interpretation of flowing well response in gas-condensate wells, (Tech. Paper SPE 14204) SPEFE Sept. 88, 578-594
Mathematical: for simulation and inversion of resistivity logs; new high-speed hybrid technique, (Tech. Paper SPE 14189) SPEFE Mar. 88, 55-61
Mathematical: for vertical-interference pressure testing across low permeability zone with unsteady crossflow, (Tech. Paper SPE 15583) SPEFE Dec. 88, 751-760
Mathematical: gas-well testing in presence of desorption; coalbed methane and Devonian shale, (Tech. Paper SPE 15227) SPEFE Mar. 88, 179-185
Mathematical: improved environmental corrections for compensated neutron logs, (Tech. Paper SPE 15540) SPEFE Jun. 88, 371-376
Mathematical: of slug-test analysis in double-porosity reservoirs, (Tech. Paper SPE 15479) SPEFE Jun. 88, 329-339
Mathematical: transient analysis of acoustically derived pressure and rate data, (Tech. Paper SPE 15481) SPEFE Sept. 88, 607-616
Mathematical: two-point method for determination of undisturbed reservoir temperature, (Tech. Paper SPE 15204) SPEFE Mar. 88, 222-226
Of limited-entry completions undergoing spherical flow, (Tech. Paper SPE 14310) SPEFE Dec. 88, 761-770
Physical: dual-burst thermal-decay-time logging principles, (Tech. Paper SPE 15437) SPEFE Jun. 88, 377-385
Pressure-lag and rate-type: comparison between; prediction of reservoir compaction and surface subsidence, (Tech. Paper SPE 16389) SPEFE Jun. 88, 357-363
Rate-type compaction: field application of; prediction of reservoir compaction and surface subsidence, (Tech. Paper SPE 14214) SPEFE Jun. 88, 347-356
Reservoir and well: pressure-transient response of an infinite-conductivity vertical fracture in a reservoir with double-porosity behavior, (Tech. Paper SPE 12778) SPEFE Sept. 88, 510-518
Reservoir: automatic type-curve matching for well test analysis, (Tech. Paper SPE 16443) SPEFE Sept. 88, 567-577
Reservoir: for sizing using inert and chemically reacting tracers, (Tech. Paper SPE 13147) SPEFE Mar. 88, 227-234
S-B conductivity: hydrocarbon saturation equation in shaly sands according to, (Tech. Paper SPE 16039) SPEFE Sept. 88, 503-509
Selection of: for well test and production data analysis, (Tech. Paper SPE 15926) SPEFE Mar. 88, 215-221
Semianalytic: correlations developed for pressure-transient analysis; fractured wells producing at constant pressure, (Tech. Paper SPE 13629) SPEFE Mar. 88, 169-178
Semipermeable wall: pressure transients and crossflow caused by diffusivities in multilayer reservoirs, (Tech. Paper SPE 11966) SPEFE Jun. 88, 438-448
Stretched-, two-, and three-exponential: three-part study of NMR longitudinal relaxation properties of water-saturated sandstones, (Tech. Paper SPE 15643) SPEFE Sept. 88, 622-636

Mud Filtrate
Invasion: effects on interpretation of induction logs, (Tech. Paper SPE 14491) SPEFE Jun. 88, 386-392

Mud Logging
Operations: evaluation of gas-extraction efficiency during, (Tech. Paper SPE 16158) SPEFE Dec. 88, 686-690

Muldoon Field
See Texas

Multiwell Systems
Testing: new developments in, (Tech. Paper SPE 14100) SPEFE Mar. 88, 159-168

N

Natural Gas
Hydrates: in Alaskan arctic, (Tech. Paper SPE 13593) SPEFE Mar. 88, 263-266

Neutron Logging
Compensated logs: improved environmental corrections for, (Tech. Paper SPE 15540) SPEFE Jun. 88, 371-376

New Mexico
Fenton Hill site: reservoir sizing using inert and chemically reacting tracers, (Tech. Paper SPE 13147) SPEFE Mar. 88, 227-234
San Juan basin: stress-dependent permeability and porosity of coal and other geologic formations, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91

New York
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
New Zealand
Ohaaki geothermal field: multiple-well interference testing, (Tech. Paper SPE 15122) SPEFE Jun. 88, 429-437
North Dakota
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
North Sea
Chalk reservoir surfaces: water imbibition and characterization of, (Tech. Paper SPE 14108) SPEFE Mar. 88, 125-130
Frigg field: three-dimensional simulation study; application of new approaches, (Tech. Paper SPE 15608) SPEFE Sept. 88, 493-502
Nuclear Magnetic Resonance
Longitudinal relaxation properties of water-saturated sandstones: three-part study, (Tech. Paper SPE 15643) SPEFE Sept. 88, 622-636
Numerical Solutions
Analytic model for electromagnetic wireline tools, (Tech. Paper SPE 14190) SPEFE Mar. 88, 17-23
Automated type-curve analysis of well tests: improved estimation algorithm for, (Tech. Paper SPE 14255) SPEFE Mar. 88, 186-196
Derivative type curves: new approach for constructing for well test analysis, (Tech. Paper SPE 16473) SPEFE Mar. 88, 197-206
Detecting a circular impermeable or compressible subregion by interference testing, (Tech. Paper SPE 15585) SPEFE Jun. 88, 420-428
Duration of transitional period of responses influenced by wellbore storage and skin, (Tech. Paper SPE 15273) SPEFE Mar. 88, 207-214
Early-time transient flow of real gas through porous media: effects of wellbore storage, skin, and turbulence intensity on, (Tech. Paper SPE 15525) SPEFE Sept. 88, 547-554
For analysis of impulse testing: use in interpreting impulse tests, (Tech. Paper SPE 15911) SPEFE Sept. 88, 534-546
For fracture-dominated reservoirs: new analytic model, (Tech. Paper SPE 14171) SPEFE Mar. 88, 242-250
For simulation and inversion of resistivity logs: new high-speed hybrid technique, (Tech. Paper SPE 14189) SPEFE Mar. 88, 55-61
For simultaneous determination of permeability and porosity in low-permeability cores, (Tech. Paper SPE 15379) SPEFE Sept. 88, 651-658
Gas-well testing in presence of desorption; coalbed methane and Devonian shale, (Tech. Paper SPE 15227) SPEFE Mar. 88, 179-185
Least-squares regression algorithm: automatic type-curve matching for well test analysis, (Tech. Paper SPE 16443) SPEFE Sept. 88, 567-577
Of complex dielectric interpretation: 20-MHz electromagnetic logs, (Tech. Paper SPE 15486) SPEFE Mar. 88, 24-28
Of limited-entry completions undergoing spherical flow: model of, (Tech. Paper SPE 14310) SPEFE Dec. 88, 761-770
Of permeability and PV vs. net confining stress: two-point determination of, (Tech. Paper SPE 15380) SPEFE Mar. 88, 235-241
Of pressure analysis for horizontal wells, (Tech. Paper SPE 14251) SPEFE Dec. 88, 716-724
Of relationship between radius of drainage and cumulative oil, (Tech. Paper SPE 16035) SPEFE Mar. 88, 267-270
Of relationship between radius of drainage and cumulative oil; discussion of, (Tech. Paper, Discussion SPE 18561) SPEFE Sept. 88, 670
Of relationship between radius of drainage and cumulative oil; discussion of, (Tech. Paper, Discussion SPE 18601) SPEFE Dec. 88, 771-772
Of stress-dependent permeability and porosity: coal and other geologic formations, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91
Of undisturbed reservoir temperature: two-point method for determination, (Tech. Paper SPE 15204) SPEFE Mar. 88, 222-226
Of vertical-interference pressure testing: across low permeability zone with unsteady crossflow, (Tech. Paper SPE 15583) SPEFE Dec. 88, 751-760
Prediction of reservoir compaction and surface subsidence: comparison between pressure-lag and rate-type models for, (Tech. Paper SPE 16389) SPEFE Jun. 88, 357-363
Prediction of reservoir compaction and surface subsidence: field application of a new model, (Tech. Paper SPE 14214) SPEFE Jun. 88, 347-356
Pressure transients and crossflow caused by diffusivities: multilayer reservoirs, (Tech. Paper SPE 11966) SPEFE Jun. 88, 438-448
Slug-test analysis in double-porosity reservoirs, (Tech. Paper SPE 15479) SPEFE Jun. 88, 329-339
Transient pressure testing: effects of size, shape, and orientation of an impermeable region, (Tech. Paper SPE 16376) SPEFE Sept. 88, 595-606

O

Oak Grove Mine
See Alabama
Ohaaki Field
See New Zealand
Ohio
Eastern Devonian gas shale: porosity and permeability of, (Tech. Paper SPE 15213) SPEFE Mar. 88, 116-124
Oil
Black: coefficient of isothermal compressibility at pressures below bubblepoint, (Tech. Paper SPE 15664) SPEFE Sept. 88, 659-662
Plant operators: process simulators for, (Tech. Paper SPE 13739) SPEFE Mar. 88, 276-280
Oil Production
Cumulative: relationship with radius of drainage, (Tech. Paper SPE 16035) SPEFE Mar. 88, 267-270
Cumulative: relationship with radius of drainage; discussion of, (Tech. Paper, Discussion SPE 18561) SPEFE Sept. 88, 670
Cumulative: relationship with radius of drainage; discussion of, (Tech. Paper, Discussion SPE 18601) SPEFE Dec. 88, 771-772
Oil Saturation
Residual: evaluation and comparison of determination techniques, (Tech. Paper SPE 14887) SPEFE Mar. 88, 251-262
Oil Wells
Drillstem test: analytical simulator for interpretation of, (Tech. Paper SPE 16380) SPEFE Dec. 88, 725-732
Oil-Based Muds
Dipmeter: microinduction sensor for, (Tech. Paper SPE 16761) SPEFE Dec. 88, 733-742
Oklahoma
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
Operators
Oil- and gas-plant: process simulators for, (Tech. Paper SPE 13739) SPEFE Mar. 88, 276-280
Optimization
And segmentation trees: use in obtaining structural and stratigraphic dip information, (Tech. Paper SPE 15539) SPEFE Mar. 88, 47-54

Orientation
Of an impermeable region: effect on transient pressure testing, (Tech. Paper SPE 16376) SPEFE Sept. 88, 595-606
Oxygen
Carbon ratio measurement: response for inelastic gamma ray spectroscopy tool, (Tech. Paper SPE 14460) SPEFE Mar. 88, 76-80

P

Permeability
And PV vs. net confining stress: two-point determination of, (Tech. Paper SPE 15380) SPEFE Mar. 88, 235-241
And porosity of eastern Devonian gas shale, (Tech. Paper SPE 15213) SPEFE Mar. 88, 116-124
And porosity: method for simultaneous determination in low-permeability cores, (Tech. Paper SPE 15379) SPEFE Sept. 88, 651-658
Estimation: three-part study of NMR longitudinal relaxation properties of water-saturated sandstones, (Tech. Paper SPE 15643) SPEFE Sept. 88, 622-636
Horizontal and vertical: estimation in layered reservoirs with downhole rate and pressure data, (Tech. Paper SPE 14131) SPEFE Sept. 88, 555-566
Low zone of, with unsteady crossflow: vertical-interference pressure testing across, (Tech. Paper SPE 15583) SPEFE Dec. 88, 751-760
Low: short-term transient-rate and pressure-buildup analysis of reservoir with; discussion of, (Tech. Paper, Discussion SPE 17922) SPEFE Sept. 88, 671-672
Low: short-term-transient-rate and pressure-buildup analysis of reservoirs with; authors' reply to discussion of, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept. 88, 672
Patterns in eolian deposits: Jurassic Page sandstone, northwestern Arizona, (Tech. Paper SPE 14893) SPEFE Jun. 88, 297-306
Stress-dependent: and porosity of coal and other geologic formations, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91
Physics
Of blob displacement in two-dimensional porous medium, (Tech. Paper SPE 14882) SPEFE Mar. 88, 271-275
Piceance Basin
See Colorado
Pilot Study
Low-tension test: analysis at Big Muddy field, Wyoming, (Tech. Paper SPE 12683) SPEFE Jun. 88, 315-321
Planning
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
Plants
Oil and gas: process simulators for operators, (Tech. Paper SPE 13739) SPEFE Mar. 88, 276-280
Pore Volume
And permeability vs. net confining stress: two-point determination of, (Tech. Paper SPE 15380) SPEFE Mar. 88, 235-241
Porosity
And permeability of eastern Devonian gas shale, (Tech. Paper SPE 15213) SPEFE Mar. 88, 116-124
And permeability: method for simultaneous determination in low-permeability cores, (Tech. Paper SPE 15379) SPEFE Sept. 88, 651-658
Double behavior: pressure-transient response of an infinite-conductivity vertical fracture in a reservoir with, (Tech. Paper SPE 12778) SPEFE Sept. 88, 510-518
Double: slug-test analysis in reservoirs with, (Tech. Paper SPE 15479) SPEFE Jun. 88, 329-339
Laboratory measurement: reliability of results in tight gas sands, (Tech. Paper SPE 16401) SPEFE Dec. 88, 705-710
Stress-dependent: and permeability of coal and other geologic formations, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91
Porous Media
Early-time transient flow of real gas through: effects of wellbore storage, skin, and turbulence intensity on, (Tech. Paper SPE 15525) SPEFE Sept. 88, 547-554
Two-dimensional: physics of blob displacement in, (Tech. Paper SPE 14882) SPEFE Mar. 88, 271-275
Pressure Analysis
For horizontal wells, (Tech. Paper SPE 14251) SPEFE Dec. 88, 716-724
Transient testing: effects of size, shape, and orientation of an impermeable region, (Tech. Paper SPE 16376) SPEFE Sept. 88, 595-606
Pressure Behavior
And downhole rate data: estimation of permeabilities and skin factors in layered reservoir with, (Tech. Paper SPE 14131) SPEFE Sept. 88, 555-566
And flow-rate measurements: use of simultaneously to replace isochronal gas well tests, (Tech. Paper SPE 14494) SPEFE Jun. 88, 467-470
Black oils at pressures below bubblepoint: coefficient of isothermal compressibility of, (Tech. Paper SPE 15664) SPEFE Sept. 88, 659-662
Buildup test: transient analysis, (Tech. Paper SPE 15481) SPEFE Sept. 88, 607-616
Dimensionless: derivative type curves for well test analysis; new approach for construction, (Tech. Paper SPE 16473) SPEFE Mar. 88, 197-206
Influence of pressure lags on compaction and surface subsidence: comparison between pressure-lag model and rate-type model for prediction of, (Tech. Paper SPE 16389) SPEFE Jun. 88, 357-363
Of double-porosity reservoirs: slug-test analysis in, (Tech. Paper SPE 15479) SPEFE Jun. 88, 329-339
Pressure-derivative type curves: vertically fractured wells, (Tech. Paper SPE 11028) SPEFE Mar. 88, 156-158
Producing bottomhole: acoustic determination of, (Tech. Paper SPE 14254) SPEFE Sept. 88, 617-621
Pressure Buildup
Analysis: of low permeability reservoirs; authors' reply to discussion of, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept. 88, 672
Analysis: of low-permeability reservoirs; discussion of, (Tech. Paper, Discussion SPE 17922) SPEFE Sept. 88, 671-672
In fracture-dominated reservoirs: new analytic model for, (Tech. Paper SPE 14171) SPEFE Mar. 88, 242-250
Tests: effects of multiphase flow on interpretation, (Tech. Paper SPE 15537) SPEFE Jun. 88, 459-466
Pressure Distribution
Vertical: interpreting RFT-measured pulse test with three-dimensional simulator, (Tech. Paper SPE 14878) SPEFE Mar. 88, 139-146
Pressure Falloff Tests
In fracture-dominated reservoirs: new analytic model for, (Tech. Paper SPE 14171) SPEFE Mar. 88, 242-250
Thermal: in heterogeneous systems; evaluation of analytic technique for estimating swept volume, (Tech. Paper SPE 12657) SPEFE Jun. 88, 449-458
Pressure Transients
Analysis for fractured wells producing at constant pressure, (Tech. Paper SPE 13629) SPEFE Mar. 88, 169-178
And crossflow: caused by diffusivities in multilayer reservoirs, (Tech. Paper SPE 11966) SPEFE Jun. 88, 438-448
Method for simultaneous determination of permeability and porosity in low-permeability cores, (Tech. Paper SPE 15379) SPEFE Sept. 88, 651-658

Response of infinite-conductivity vertical fracture: reservoir with double-porosity behavior, (Tech. Paper SPE 12778) SPEFE Sept. 88, 510-518

Production

Cumulative oil: relationship with radius of drainage, (Tech. Paper SPE 16035) SPEFE Mar. 88, 267-270

Cumulative oil: relationship with radius of drainage; discussion of, (Tech. Paper, Discussion SPE 18561) SPEFE Sept. 88, 670

Cumulative oil: relationship with radius of drainage; discussion of, (Tech. Paper, Discussion SPE 18601) SPEFE Dec. 88, 771-772

Data analysis: and well test data analysis; model selection for, (Tech. Paper SPE 15926) SPEFE Mar. 88, 215-221

From fractured wells: pressure-transient analysis at constant pressure, (Tech. Paper SPE 13629) SPEFE Mar. 88, 169-178

Geology: geophysical workstations in, (Tech. Paper SPE 14117) SPEFE Jun. 88, 293-296

History: geologic and engineering implications of; five Mesaverde wells in central Piceance Creek basin, northwest Colorado, (Tech. Paper SPE 15237) SPEFE Jun. 88, 307-314

Productivity

Of Lobo 6 sand, Lower Wilcox, Texas: estimation by identifying diagenetic clays with well log data, (Tech. Paper SPE 14278) SPEFE Jun. 88, 393-406

Properties

Hydraulic: of tight sandstones: influence of water-desaturation technique and stress on laboratory measurement of, (Tech. Paper SPE 15210) SPEFE Dec. 88, 679-685

NMR longitudinal relaxation: three-part study of water-saturated sandstones, (Tech. Paper SPE 15643) SPEFE Sept. 88, 622-636

Wellbore and reservoir: from model of limited-entry completions undergoing spherical flow, (Tech. Paper SPE 14310) SPEFE Dec. 88, 761-770

Prudhoe Bay Field

See Alaska

Pulse Echo Tool(PET)

Staged field experiment, (Tech. Paper SPE 16429) SPEFE Sept. 88, 519-533

Pulse Testing

Method for analyzing considering wellbore storage and skin effects, (Tech. Paper SPE 15582) SPEFE Dec. 88, 743-750

Of multiple wells: new developments, (Tech. Paper SPE 14100) SPEFE Mar. 88, 159-168

RFT-measured: interpreting with three-dimensional simulator, (Tech. Paper SPE 14878) SPEFE Mar. 88, 139-146

Pumping Wells

Transient analysis of acoustically derived pressure and rate data, (Tech. Paper SPE 15481) SPEFE Sept. 88, 607-616

Q

Quality Control

On reservoir in tight sandstones: Travis Peak formation, east Texas, (Tech. Paper SPE 15220) SPEFE Mar. 88, 97-104

R

Relative Permeability

And capillary pressure: simultaneous determination by automatic history matching, (Tech. Paper SPE 14418) SPEFE Jun. 88, 322-328

Of tight sandstones: influence of water-desaturation technique and stress on laboratory measurement of, (Tech. Paper SPE 15210) SPEFE Dec. 88, 679-685

Reliability

Of laboratory measurement of porosity in tight gas sands, (Tech. Paper SPE 16401) SPEFE Dec. 88, 705-710

Reservoir Characteristics

From well test and production data analysis: model selection for, (Tech. Paper SPE 15926) SPEFE Mar. 88, 215-221

Reservoirs

Abrupt compaction and surface subsidence caused by pore collapse: prediction in carbonates, (Tech. Paper SPE 15642) SPEFE Jun. 88, 340-346

Compaction and surface subsidence: comparison between pressure-lag model and rate-type model for prediction of, (Tech. Paper SPE 16389) SPEFE Jun. 88, 357-363

Compaction and surface subsidence: prediction of; field application of a new model, (Tech. Paper SPE 14214) SPEFE Jun. 88, 347-356

Devonian shale: analysis of prestimulation test in, (Tech. Paper SPE 15925) SPEFE Jun. 88, 364-370

Double-porosity: slug-test analysis in, (Tech. Paper SPE 15479) SPEFE Jun. 88, 329-339

Fracture-dominated: new analytic model for, (Tech. Paper SPE 14171) SPEFE Mar. 88, 242-250

Layered: estimation of permeabilities and skin factors with downhole rate and pressure data, (Tech. Paper SPE 14131) SPEFE Sept. 88, 555-566

Low permeability: short-term transient-rate and pressure-buildup analysis of; authors' reply to discussion of, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept. 88, 672

Low permeability: short-term transient-rate and pressure-buildup analysis of; discussion of, (Tech. Paper, Discussion SPE 17922) SPEFE Sept. 88, 671-672

Low-salinity: test of high-resolution spectroscopy logging tool to measure chlorine, (Tech. Paper SPE 15438) SPEFE Mar. 88, 40-46

Multilayer reservoirs: pressure transients and crossflow caused by, (Tech. Paper SPE 11966) SPEFE Jun. 88, 438-448

Quality: controls in tight sandstones; Travis Peak formation, east Texas, (Tech. Paper SPE 15220) SPEFE Mar. 88, 97-104

Surfaces: water imbibition and characterization of North Sea chalk, (Tech. Paper SPE 14108) SPEFE Mar. 88, 125-130

Travis Peak tight-gas sandstone: depositional systems and diagenesis of; Sabin Uplift area, Texas, (Tech. Paper SPE 14666) SPEFE Mar. 88, 105-115

Undisturbed temperature: two-point method for determination, (Tech. Paper SPE 15204) SPEFE Mar. 88, 222-226

With double-porosity behavior: pressure-transient response of an infinite-conductivity vertical fracture in, (Tech. Paper SPE 12778) SPEFE Sept. 88, 510-518

Residual Oil

Saturation: evaluation and comparison of determination techniques, (Tech. Paper SPE 14887) SPEFE Mar. 88, 251-262

Resistivity

Logs: simulation and inversion of; new high-speed hybrid technique, (Tech. Paper SPE 14189) SPEFE Mar. 88, 55-61

Restoration

Of native wettability of cores: cleaning procedures for, (Tech. Paper SPE 14875) SPEFE Mar. 88, 131-138

Rock Properties

Determination: and fluid-flow visualization; computed tomography for, (Tech. Paper SPE 16951) SPEFE Dec. 88, 696-704

S

Salinity
- Low: test of high-resolution spectroscopy logging tool to measure chlorine in reservoir, (Tech. Paper SPE 15438) SPEFE Mar. 88, 40-46

San Juan Basin
- See New Mexico

Sand
- Lobo 6, Lower Wilcox, Texas: estimation of productivity by identifying diagenetic clays with well log data, (Tech. Paper SPE 14278) SPEFE Jun. 88, 393-406
- Shaly: hydrocarbon saturation equation in, according to S-B conductivity model, (Tech. Paper SPE 16039) SPEFE Sept. 88, 503-509
- Tight gas: reliability of laboratory measurement of porosity in, (Tech. Paper SPE 16401) SPEFE Dec. 88, 705-710
- Tight, gas: GRI staged field experiment, (Tech. Paper SPE 16429) SPEFE Sept. 88, 519-533

Sandstone
- Jurassic Page: northeastern Arizona; patterns of permeability in eolian deposits, (Tech. Paper SPE 14893) SPEFE Jun. 88, 297-306
- Tight lenses: pressure-core measurements during Multiwell Experiment, (Tech. Paper SPE 12853) SPEFE Sept. 88, 645-650
- Tight: controls on reservoir quality: Travis Peak formation, east Texas, (Tech. Paper SPE 15220) SPEFE Mar. 88, 97-104
- Tight: influence of water-saturation technique and stress on laboratory measurement of hydraulic properties of, (Tech. Paper SPE 15210) SPEFE Dec. 88, 679-685
- Travis Peak tight-gas reservoirs: depositional systems and diagenesis of; Sabine Uplift area, Texas, (Tech. Paper SPE 14666) SPEFE Mar. 88, 105-115
- Water-saturated: NMR longitudinal relaxation properties; three-part study of, (Tech. Paper SPE 15643) SPEFE Sept. 88, 622-636

Saturation
- Of hydrocarbon: equation in shaly sands according to S-B conductivity model, (Tech. Paper SPE 16039) SPEFE Sept. 88, 503-509
- Residual oil: evaluation and comparison of determination techniques, (Tech. Paper SPE 14887) SPEFE Mar. 88, 251-262

Seismic Surveys
- Advances in borehole fracture diagnostics, (Tech. Paper SPE 16405) SPEFE Dec. 88, 711-715

Sensitivity Analysis
- Interpreting RFT-measured pulse test with three-dimensional simulator, (Tech. Paper SPE 14878) SPEFE Mar. 88, 139-146
- Of estimates of permeabilities and skin factors with downhole rate and pressure data: layered reservoir, (Tech. Paper SPE 14131) SPEFE Sept. 88, 555-566
- Of prestimulation test data: Devonian shale reservoirs, (Tech. Paper SPE 15925) SPEFE Jun. 88, 364-370

Sensors
- Microinduction: for oil-based mud dipmeter, (Tech. Paper SPE 16761) SPEFE Dec. 88, 733-742

Shales
- Devonian reservoirs: analysis of prestimulation test in, (Tech. Paper SPE 15925) SPEFE Jun. 88, 364-370
- Devonian: and coalbed methane; gas-well testing in presence of desorption for, (Tech. Paper SPE 15227) SPEFE Mar. 88, 179-185
- Eastern Devonian gas: porosity and permeability of, (Tech. Paper SPE 15213) SPEFE Mar. 88, 116-124
- Management: application of new approaches; three-dimensional simulation study of Frigg field, (Tech. Paper SPE 15608) SPEFE Sept. 88, 493-502

Simulation
- And inversion of resistivity logs: new high-speed hybrid technique, (Tech. Paper SPE 14189) SPEFE Mar. 88, 55-61
- Numerical: pressure transients and crossflow caused by diffusivities in multilayer reservoirs, (Tech. Paper SPE 11966) SPEFE Jun. 88, 438-448
- Of a log-inject-log (LIL) operatiion: dual-burst thermal-decay-time logging principles, (Tech. Paper SPE 15437) SPEFE Jun. 88, 377-385
- Of pressure-falloff tests: evaluation of an analytic technique for estimating swept volume in heterogeneous systems; steamflood and in-situ combustion, (Tech. Paper SPE 12657) SPEFE Jun. 88, 449-458
- Three-dimensional study of Frigg field: application of new approaches for shale management, (Tech. Paper SPE 15608) SPEFE Sept. 88, 493-502

Simulator
- 2D, three-phase, variable-bubblepoint: simulation of pressure-buildup tests; effects of multiphase flow on interpretation, (Tech. Paper SPE 15537) SPEFE Jun. 88, 459-466
- Analytical: for drillstem test interpretation, (Tech. Paper SPE 16380) SPEFE Dec. 88, 725-732
- Automatic history matching: simultaneous determination of capillary pressure and relative permeability,. (Tech. Paper SPE 14418) SPEFE Jun. 88, 322-328
- Numerical fluid flow: effects of mud-filtrate invasion on interpretation of induction logs, (Tech. Paper SPE 14491) SPEFE Jun. 88, 386-392
- Numerical: analysis of low-tension pilot; Big Muddy field, Wyoming, (Tech. Paper SPE 12683) SPEFE Jun. 88, 315-321
- Process: for oil- and gas-plant operators, (Tech. Paper SPE 13739) SPEFE Mar. 88, 276-280
- Three-dimensional: interpreting RFT-measured pulse test with, (Tech. Paper SPE 14878) SPEFE Mar. 88, 139-146

Skin Effect
- And wellbore storage: method for analyzing pulse tests considering, (Tech. Paper SPE 15582) SPEFE Dec. 88, 743-750
- And wellbore storage: note on duration of transitional period of responses influenced by, (Tech. Paper SPE 15273) SPEFE Mar. 88, 207-214
- Estimation in layered reservoirs with downhole rate and pressure data, (Tech. Paper SPE 14131) SPEFE Sept. 88, 555-566
- On early-time transient flow of real gas through porous media, (Tech. Paper SPE 15525) SPEFE Sept. 88, 547-554

Slug Test
- Analysis in double-porosity reservoirs, (Tech. Paper SPE 15479) SPEFE Jun. 88, 329-339

Spectroscopy
- Capture gamma ray, logging tool: borehole correction model for, (Tech. Paper SPE 14462) SPEFE Mar. 88, 62-68
- Induced gamma log: evaluation of behind-casing pay zones in freshwater environment; Muldoon field, Texas, (Tech. Paper SPE 14464) SPEFE Mar. 88, 92-96
- Inelastic gamma ray tool: response of carbon/oxygen measurement for, (Tech. Paper SPE 14460) SPEFE Mar. 88, 76-80
- Logging: test of high-resolution tool to measure chlorine in low-salinity reservoir, (Tech. Paper SPE 15438) SPEFE Mar. 88, 40-46

Stimulation
- Coalbed methane: analysis in Warrior basin, Alabama, (Tech. Paper SPE 15218) SPEFE Sept. 88, 663-669
- Pre-test data: analysis in Devonian shale reservoirs, (Tech. Paper SPE 15925) SPEFE Jun. 88, 364-370

Storage
Wellbore: and skin effects: method for analyzing pulse tests considering, (Tech. Paper SPE 15582) SPEFE Dec. 88, 743-750
Wellbore: and skin; note on duration of transitional period of responses influenced by, (Tech. Paper SPE 15273) SPEFE Mar. 88, 207-214
Wellbore: effect on early-time transient flow of real gas through porous media, (Tech. Paper SPE 15525) SPEFE Sept. 88, 547-554
Stratification
Of Jurassic Page sandstone of northeastern Arizona: patterns of permeability in eolian deposits, (Tech. Paper SPE 14893) SPEFE Jun. 88, 297-306
Stratigraphy
Obtaining stratigraphic and structural dip information: use of segmentation trees and optimization, (Tech. Paper SPE 15539) SPEFE Mar. 88, 47-54
Stresses
And water-desaturation technique: influence on laboratory measurement of hydraulic properties of tight sandstones, (Tech. Paper SPE 15210) SPEFE Dec. 88, 679-685
Effective: of permeability and porosity of coal and other geologic formations, (Tech. Paper SPE 12858) SPEFE Mar. 88, 81-91
Net confining: two-point determinations of permeability and PV vs., (Tech. Paper SPE 15380) SPEFE Mar. 88, 235-241
Structural Geology
Obtaining dip information: use of segmentation trees and optimization, (Tech. Paper SPE 15539) SPEFE Mar. 88, 47-54
Surface
North Sea chalk reservoir: water imbibition and characterization of, (Tech. Paper SPE 14108) SPEFE Mar. 88, 125-130
Subsidence and reservoir compaction: prediction of abrupt occurrence caused by pore collapse in carbonates, (Tech. Paper SPE 15642) SPEFE Jun. 88, 340-346
Subsidence and reservoir compaction: prediction of; field application of a new model, (Tech. Paper SPE 14214) SPEFE Jun. 88, 347-356
Subsidence: and reservoir compaction; comparison between pressure-lag model and rate-type model for prediction of, (Tech. Paper SPE 16389) SPEFE Jun. 88, 357-363
Surfactants
Core cleaning for restoration of native wettability, (Tech. Paper SPE 14875) SPEFE Mar. 88, 131-138
Injection: analysis of low-tension pilot; Big Muddy field, Wyoming, (Tech. Paper SPE 12683) SPEFE Jun. 88, 315-321
Susceptibility
Of model for well test and production data analysis, (Tech. Paper SPE 15926) SPEFE Mar. 88, 215-221

T

Temperature
Undisturbed reservoir: two-point method for determination of, (Tech. Paper SPE 15204) SPEFE Mar. 88, 222-226
Testing
Borehole correction model predictions: for capture gamma ray spectroscopy logging tools, (Tech. Paper SPE 14462) SPEFE Mar. 88, 62-68
Coiled-tubing logging system, (Tech. Paper SPE 15489) SPEFE Mar. 88, 37-39
Core displacement: gamma ray absorption techniques improve analysis, (Tech. Paper SPE 14421) SPEFE Mar. 88, 69-75
Gas-well: in presence of desorption for coalbed methane and Devonian shale, (Tech. Paper SPE 15227) SPEFE Mar. 88, 179-185
In field: of acoustic determination of producing bottomhole pressure, (Tech. Paper SPE 14254) SPEFE Sept. 88, 617-621
Inert and chemically reacting tracers: reservoir sizing using, (Tech. Paper SPE 13147) SPEFE Mar. 88, 227-234
Interference: detecting a circular impermeable or compressible subregion, (Tech. Paper SPE 15585) SPEFE Jun. 88, 420-428
Limited-entry completions undergoing spherical flow: model of, (Tech. Paper SPE 14310) SPEFE Dec. 88, 761-770
Multiple-well interference: Ohaaki geothermal field, (Tech. Paper SPE 15122) SPEFE Jun. 88, 429-437
Multiple-well: new developments in, (Tech. Paper SPE 14100) SPEFE Mar. 88, 159-168
Of high-resolution spectroscopy logging tool to measure chlorine: low-salinity reservoir, (Tech. Paper SPE 15438) SPEFE Mar. 88, 40-46
Of well: improved estimation algorithms for automated type-curve analysis, (Tech. Paper SPE 14255) SPEFE Mar. 88, 186-196
Pressure buildup: effects on multiphase flow on interpretation of tests, (Tech. Paper SPE 15537) SPEFE Jun. 88, 459-466
Prestimulation test data: analysis in Devonian shale reservoirs, (Tech. Paper SPE 15925) SPEFE Jun. 88, 364-370
Procedure: for estimation of permeabilities and skin factors with downhole rate and pressure data; layered reservoirs, (Tech. Paper SPE 14131) SPEFE Sept. 88, 555-566
Pumping wells: transient analysis of acoustically derived pressure and rate data, (Tech. Paper SPE 15481) SPEFE Sept. 88, 607-616
Rate impulse: for evaluating hydrocarbon wells, (Tech. Paper SPE 15911) SPEFE Sept. 88, 534-546
Short-term transient-rate and pressure-buildup: low permeability reservoirs; authors' reply to discussion of, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept. 88, 672
Short-term transient-rate and pressure-buildup: low permeability reservoirs; discussion of, (Tech. Paper, Discussion SPE 17922) SPEFE Sept. 88, 671-672
Transient pressure: effects of size, shape, and orientation of an impermeable region, (Tech. Paper SPE 16376) SPEFE Sept. 88, 595-606
Vertical-interference pressure: across low permeability zone with unsteady crossflow, (Tech. Paper SPE 15583) SPEFE Dec. 88, 751-760
Texas
Chapel Hill field: Travis Peak formation; controls on reservoir quality in tight sandstones, (Tech. Paper SPE 15220) SPEFE Mar. 88, 97-104
Lobo 6 sand, Lower Wilcox: estimation of productivity by identifying diagenetic clays with well log data, (Tech. Paper SPE 14278) SPEFE Jun. 88, 393-406
Muldoon field: evaluation of behind-casing pay zone in freshwater environment, (Tech. Paper SPE 14464) SPEFE Mar. 88, 92-96
Offshore: interpretation example of geophysical workstations in production geology, (Tech. Paper SPE 14117) SPEFE Jun. 88, 293-296
Sabine uplift area: depositional systems and diagenesis of Travis Peak tight-gas sandstone reservoirs, (Tech. Paper SPE 14666) SPEFE Mar. 88, 105-115
Short-term transient-rate and pressure buildup analysis: of low permeability reservoir; authors' reply to discussion of, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept. 88, 672
Short-term transient-rate and pressure-buildup analysis: of low permeability reservoirs; discussion of, (Tech. Paper, Discussion SPE 17922) SPEFE Sept. 88, 671-672
Tight gas sands: reliability of laboratory measurement of porosity in, (Tech. Paper SPE 16401) SPEFE Dec. 88, 705-710

West: vertically fractured wells: pressure-derivative type curves for, (Tech. Paper SPE 11028) SPEFE Mar. 88, 156-158

Thermal Recovery of Oil
In-situ combustion and steamflood: evaluation of an analytic technique for estimating swept volume; thermal pressure-falloff tests in heterogeneous reservoirs, (Tech. Paper SPE 12657) SPEFE Jun. 88, 449-458

Thermal-Neutron Decay Time
Dual-burst logging principles, (Tech. Paper SPE 15437) SPEFE Jun. 88, 377-385

Tomography
Computed for rock-property determination and fluid-flow visualization, (Tech. Paper SPE 16951) SPEFE Dec. 88, 696-704

Tracers
Inert and chemically reacting tracers: reservoir sizing using, (Tech. Paper SPE 13147) SPEFE Mar. 88, 227-234

Training
Device: process simulators for oil- and gas-plant operators, (Tech. Paper SPE 13739) SPEFE Mar. 88, 276-280

Transient Flow
Early-time: of real gas through porous media: effects of wellbore storage, skin, and turbulence intensity on, (Tech. Paper SPE 15525) SPEFE Sept. 88, 547-554
Short-term rate analysis: of low permeability reservoirs; discussion of, (Tech. Paper, Discussion SPE 17922) SPEFE Sept. 88, 671-672
Short-term rate analysis: of low-permeability reservoirs; authors' reply to discussion of, (Tech. Paper, Rebuttal SPE 18395) SPEFE Sept. 88, 672

Transients
Analysis of acoustically derived pressure and rate data, (Tech. Paper SPE 15481) SPEFE Sept. 88, 607-616
Pressure testing: effects of size, shape, and orientation of an impermeable region, (Tech. Paper SPE 16376) SPEFE Sept. 88, 595-606

Transit Time
Increase: and its interpretation; mechanism after water injection into Reservoir M; Lao Jun Miao oil field, China, (Tech. Paper SPE 14846) SPEFE Jun. 88, 471-479

Triaxial Borehole Seismic (Tabs) Tool
For fracture diagnostics: advances in, (Tech. Paper SPE 16405) SPEFE Dec. 88, 711-715

Tubing
Coiled logging system, (Tech. Paper SPE 15489) SPEFE Mar. 88, 37-39

Turbulence
Intensity: effect on early-time transient flow of real gas through porous media, (Tech. Paper SPE 15525) SPEFE Sept. 88, 547-554

Type Curves
Automated analysis of well tests: improved estimation algorithms for, (Tech. Paper SPE 14255) SPEFE Mar. 88, 186-196
Automatic matching for well test analysis, (Tech. Paper SPE 16443) SPEFE Sept. 88, 567-577
Derivative: new approach for constructing for well test analysis, (Tech. Paper SPE 16473) SPEFE Mar. 88, 197-206
Of derivative of pressure:, (Tech. Paper SPE 15911) SPEFE Sept. 88, 534-546
Pressure-derivative: for vertically fractured wells, (Tech. Paper SPE 11028) SPEFE Mar. 88, 156-158

U

United Kingdom
Rosemanowes quarry site, Cornwall: reservoir sizing using inert and chemically reacting tracers, (Tech. Paper SPE 13147) SPEFE Mar. 88, 227-234

V

Venezuela
Bachaquero field: prediction of reservoir compaction and surface subsidence: comparison between pressure-lag and rate-type models for, (Tech. Paper SPE 16389) SPEFE Jun. 88, 357-363

Volume
Swept: estimating from thermal pressure-falloff tests in heterogeneous systems; evaluation of an analytic technique, (Tech. Paper SPE 12657) SPEFE Jun. 88, 449-458

W

Water
Desaturation technique and stress: influence on laboratory measurement of hydraulic properties of tight sandstones, (Tech. Paper SPE 15210) SPEFE Dec. 88, 679-685
Fresh environment: evaluation of behind-casing pay zones; Muldoon field,Texas, (Tech. Paper SPE 14464) SPEFE Mar. 88, 92-96
Imbibition and characterization: North Sea chalk reservoir surfaces, (Tech. Paper SPE 14108) SPEFE Mar. 88, 125-130
Injection into Reservoir M, Lao Jun Miao oil field, China: mechanism of transit time increase and its interpretation after injection, (Tech. Paper SPE 14846) SPEFE Jun. 88, 471-479
Saturated sandstone: NMR longitudinal relaxation properties of: three-part study, (Tech. Paper SPE 15643) SPEFE Sept. 88, 622-636

Water Saturation
Of tight sandstone lenses: pressure-core measurements during Multiwell Experiment, (Tech. Paper SPE 12853) SPEFE Sept. 88, 645-650

Well Logging
Dipmeter: obtaining structural and stratigraphic dip information; use of segmentation trees and optimization, (Tech. Paper SPE 15539) SPEFE Mar. 88, 47-54
Dual-burst thermal-decay-time logging principles, (Tech. Paper SPE 15437) SPEFE Jun. 88, 377-385
Induction logs: effects of mud-filtrate invasion on interpretation, (Tech. Paper SPE 14491) SPEFE Jun. 88, 386-392
Induction tools: effect of dipping beds on response, (Tech. Paper SPE 15488) SPEFE Mar. 88, 29-36
Inelastic gamma ray spectroscopy tool: response of carbon/oxygen measurement for, (Tech. Paper SPE 14460) SPEFE Mar. 88, 76-80
Natural spectral gamma ray system: computer determination of calibration and corrections for, (Tech. Paper SPE 14186) SPEFE Sept. 88, 637-644
Oil-based mud dipmeter: microinduction sensor for, (Tech. Paper SPE 16761) SPEFE Dec. 88, 733-742
RFT-measured pulse test: interpreting with three-dimensional simulator, (Tech. Paper SPE 14878) SPEFE Mar. 88, 139-146
Resistivity logs: simulation and inversion of; new high-speed hybrid technique, (Tech. Paper SPE 14189) SPEFE Mar. 88, 55-61
Transit-time increase and its interpretation: mechanism after water injection into Reservoir M; Lao Jun Miao oil field, China, (Tech. Paper SPE 14846) SPEFE Jun. 88, 471-479

Well Logs
Compensated neutron: improved environmental corrections, (Tech. Paper SPE 15540) SPEFE Jun. 88, 371-376
Data: identifying diagenetic clays with; estimation of productivity of Lobo 6 sand, Lower Wilcox, Texas, (Tech. Paper SPE 14278) SPEFE Jun. 88, 393-406

Electromagnetic, 20-MHz: complex dielectric interpretation of, (Tech. Paper SPE 15486) SPEFE Mar. 88, 24-28
Total organic carbon content determined from, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
Well Test Analysis
And production data analysis: model selection for, (Tech. Paper SPE 15926) SPEFE Mar. 88, 215-221
Automated type curve: improved estimation algorithms for, (Tech. Paper SPE 14255) SPEFE Mar. 88, 186-196
Automatic type-curve matching for, (Tech. Paper SPE 16443) SPEFE Sept. 88, 567-577
Derivative type curves for: new approach for constructing, (Tech. Paper SPE 16473) SPEFE Mar. 88, 197-206
Gas-condensate system: interpretation of flowing well response, (Tech. Paper SPE 14204) SPEFE Sept. 88, 578-594
New analytic model for analyzing data: for fracture-dominated reservoirs, (Tech. Paper SPE 14171) SPEFE Mar. 88, 242-250
Prestimulation data: analysis in Devonian shale reservoirs, (Tech. Paper SPE 15925) SPEFE Jun. 88, 364-370
Wellbore Mechanics
Storage and skin effect: method for analyzing pulse tests considering, (Tech. Paper SPE 15582) SPEFE Dec. 88, 743-750
Storage and skin: note on duration of transitional period of responses influenced by, (Tech. Paper SPE 15273) SPEFE Mar. 88, 207-214
Storage: and skin and turbulence intensity; effect on early-time transient flow of real gas through porous media, (Tech. Paper SPE 15525) SPEFE Sept. 88, 547-554
With storage and skin: slug-test analysis in double-porosity reservoirs, (Tech. Paper SPE 15479) SPEFE Jun. 88, 329-339
West Virginia
Eastern Devonian gas shale: porosity and permeability of, (Tech. Paper SPE 15213) SPEFE Mar. 88, 116-124
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
Wettability
Native: core cleaning for restoration of, (Tech. Paper SPE 14875) SPEFE Mar. 88, 131-138
Wilmington Field
See California
Wireline
Coiled-tubing logging system, (Tech. Paper SPE 15489) SPEFE Mar. 88, 37-39
Electromagnetic tools: analytic model for, (Tech. Paper SPE 14190) SPEFE Mar. 88, 17-23
Wyoming
Big Muddy field: analysis of low-tension pilot, (Tech. Paper SPE 12683) SPEFE Jun. 88, 315-321
Field application of total organic carbon content from well logs, (Tech. Paper SPE 15612) SPEFE Jun. 88, 407-419
Limited-entry completions undergoing spherical flow: model of, (Tech. Paper SPE 14310) SPEFE Dec. 88, 761-770